

## Cable gland - G-INS-PG16-S68N-NNES-S - 1411174

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Brass, nickel-plated, External cable diameter 10 mm ... 14 mm, Shielding: No, Connecting thread: Pg16, Color: silver

### Product Features



### Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
Weight per Piece (excluding packing)	36.0 GRM
Custom tariff number	74199990
Country of origin	Turkey

### Technical data

#### Dimensions

Length	33.9 mm
Length without connecting thread	27.4 mm
Connecting thread diameter	22.5 mm
Wrench size, union nut	24 mm
Wrench size, support	24 mm
Hexagon angular dimension GRP	26.8 mm
Length of the connecting thread	6.5 mm
External cable diameter	10 mm ... 14 mm

#### Ambient conditions

Degree of protection	IP69K
Ambient temperature (operation)	-40 °C ... 100 °C

#### General

## Cable gland - G-INS-PG16-S68N-NNES-S - 1411174

### Technical data

#### General

Cable gland material	Brass, nickel-plated
Seal material	CR
Cable seal material	CR
O-ring material	NBR
Shielded	No
Thread type on connection side	Pg16
Torque	10 Nm ... 13 Nm (Union nut)
Color	silver

### Classifications

#### eCl@ss

eCl@ss 5.1	27081002
eCl@ss 6.0	27081002
eCl@ss 8.0	27149109

#### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

### Approvals

#### Approvals

---

#### Approvals

#### UL Listed

---

#### Ex Approvals

---

#### Approvals submitted

---


#### Approval details

UL Listed 
---

## Cable gland - G-INS-PG16-S68N-NNES-S - 1411174

### Drawings

Dimensional drawing



---

Phoenix Contact 2015 © - all rights reserved  
<http://www.phoenixcontact.com>