



Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

UNIT A




- NOTE 1. THE RECOMMENDED TIGHTENING TORQUE OF CAVER AND GROUND TO BE $0.315 \pm 0.06 \text{ N} \cdot \text{m}$.
THE RECOMMENDED TIGHTENING TORQUE OF CLAMP TO BE $0.63 \pm 0.12 \text{ N} \cdot \text{m}$.
2. THE RECOMMENDED TIGHTENING TORQUE OF CODING KEY TO BE $0.18 \pm 0.03 \text{ N} \cdot \text{m}$.
3. UNIT A TO BE ASSEMBLED TO FEMALE HOUSING D FOR FIG. 1
4. CODING KEY, AVAILABLE SEPARATELY, SHALL BE ATTACHED TO THIS PRODUCT AFTER ASSEMBLY.

6	PBT	BLACK, UL94V-0	12	STEEL	NICKEL PLATING M3×0.5
5	STAINLESS STEEL		11	STEEL	NICKEL PLATING
4	STAINLESS STEEL		10	PBT	BLACK, UL94V-0
3	PHOSPHOR BRONZE	NICKEL PLATING	9	STEEL	NICKEL PLATING M3×0.5
2	STAINLESS STEEL		8	STAINLESS STEEL	
1	ALUMINUM ALLOY	UNDER NICKEL PLATING + CHROME PLATING	7	ALUMINUM ALLOY	UNDER NICKEL PLATING + CHROME PLATING
NO.	MATERIAL	FINISH , REMARKS	NO.	MATERIAL	FINISH , REMARKS

UNITS mm  HIROSE ELECTRIC CO., LTD.		SCALE 1 : 1 	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
	APPROVED : NM. NISHIMATSU 15. 04. 28				DRAWING NO. EDC-128055-00-00		
	CHECKED : NM. NISHIMATSU 15. 04. 28				PART NO. TJ50A-41S-D-CV		
	DESIGNED : MO. SHIMOYAMA 15. 04. 28				CODE NO. CL236-3102-3-00		
	DRAWN : MO. SHIMOYAMA 15. 04. 28				 1 / 4		

Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



HRS	DRAWING NO.	EDC-128055-00-00
	PART NO.	TJ50A-41S-D-CV
	CODE NO.	CL236-3102-3-00
		 2/4

Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

■ FEMALE HOUSING D (ATTACHED PARTS)














FIG.1 ASSEMBLY DRAWING (1:2)

■ CLAMP METAL (ATTACHED PARTS)




■ SCREW FOR CLAMP METAL (ATTACHED PARTS) (2:1)
(CROSS RECESSED NEED SCREWS WITH CAPTIVE WASHER)



HRS

DRAWING NO.	EDC-128055-00-00
PART NO.	TJ50A-41S-D-CV
CODE NO.	CL236-3102-3-00

Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



DRAWING NO.	EDC-128055-00-00
PART NO.	TJ50A-41S-D-CV
CODE NO.	CL236-3102-3-00