





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
	A	INITIAL	15JAN2016	RL CW



NOTES:
 1. TECHNICAL CHARACTERISTICS:
 HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
 SURFACE: POWDER COATED, GREY
 DEGREE OF PROTECTION: IP65 (MATED)

注释:
 1. 技术参数:
 上壳材料: 铝合金
 表面处理: 粉末涂层, 灰色
 防护等级: IP65(配合)



T1270160221-000	H16B-TSBH-2PG21 H16B上壳(侧出2PG21、彩锌双扣、高结构)	PG21	PG21
T1270160225-000	H16B-TSBH-2M25 H16B上壳(侧出2M25、彩锌双扣、高结构)	M25	M25
T1270160232-000	H16B-TSBH-2M32 H16B上壳(侧出2M32、彩锌双扣、高结构)	M32	M32
PART NUMBER 料号	PART DESCRIPTION 描述	PG/M THREAD-1 PG/M螺纹孔-1	PG/M THREAD-2 PG/M螺纹孔-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ROY LIU 15JAN2016	STC TE Connectivity															
		CHK KYLE ZENG 15JAN2016																
		APVD CHRIS WANG 15JAN2016	NAME H16B-TSBH-2M/PG															
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-137013															
<table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±</td></tr> <tr><td>2 PLC</td><td>±</td></tr> <tr><td>3 PLC</td><td>±</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±</td></tr> <tr><td>FINISH</td><td>-</td></tr> </table>		0 PLC	±	1 PLC	±	2 PLC	±	3 PLC	±	4 PLC	±	ANGLES	±	FINISH	-	APPLICATION SPEC 114-137013	SIZE A200779	
0 PLC	±																	
1 PLC	±																	
2 PLC	±																	
3 PLC	±																	
4 PLC	±																	
ANGLES	±																	
FINISH	-																	
MATERIAL -		WEIGHT -	DRAWING NO C-T12701602XX000															
		Customer Drawing		RESTRICTED TO -														
		SCALE 1:1		SHEET 1 OF 1 REV A														