

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J	-	A	RELEASED	14SEP2010	T.N E.T
		B	REVISED	04NOV2010	T.N E.T

SCALE 5:1

A - A

① 1. APPLICABLE WIRES: AWG24 SOLID Sn COATING  
AWG26 SOLID Sn COATING  
2. ABOUT HSG VISUAL STANDARD : TO CONFORM TYCO ELECTRONICS JAPAN G.K. INTERNAL RULE.  
3. MATERIAL  
-HOUSING : LCP UL94V-0,  
COLOR : NATURAL  
-CONTACT : COPPER ALLOY, Sn COATING  
4. COPLANARITY : 0.1mmMAX(INITIAL).

② 5 REFERENTIAL VACUUM AREA

<p>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</p>		<p>DWN T. NAGASAKI 16 JUL 2010 CHK F. TAKEMASA 16 JUL 2010 APVD F. TAKEMASA 16 JUL 2010</p>		<p><b>Tyco Electronics</b> Tyco Electronics Corporation Kawasaki, Japan</p>	
<p>DIMENSIONS: mm</p>		<p>TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2</p>		<p>NAME MICRO POKE IN IP ASSEMBLY</p>	
<p>0-PLC ± 1-PLC ± 2-PLC ± 3-PLC ± 4-PLC ± ANGLES ±3°</p>		<p>PRODUCT SPEC 108-78810 APPLICATION SPEC 114-5482</p>		<p>SIZE CAGE CODE DRAWING NO A 300779 C-2134611</p>	
<p>MATERIAL - FINISH -</p>		<p>WEIGHT 0.0827g</p>		<p>RESTRICTED TO</p>	
<p>CUSTOMER DRAWING</p>				<p>SCALE 10:1 SHEET 1 OF 3 REV B</p>	

1470-19 (2/09)






THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: mm		CHK	NAME MICRO POKE IN IP ASSEMBLY	
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.2		APVD	SIZE A300779	
0-PLC ±		PRODUCT SPEC	CAGE CODE	DRAWING NO C-2134611
1-PLC ±		APPLICATION SPEC	RESTRICTED TO	
2-PLC ±		WEIGHT	-	
3-PLC ±		CUSTOMER DRAWING	SCALE 5:1	SHEET 2 OF 3
4-PLC ±				REV B
ANGLES ±				
FINISH				

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION.

ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

DIRECTION OFF TOP OF REEL

(APPLIED TO SHEET 3)

1. THE DIRECTION OF EACH CONNECTOR ON AN EMBOSS IS REFERRED TO THIS DRAWING.

② 2. REEL CONFIGURATION AND DIMENSIONS PER EIA 481-D

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics Corporation Kawasaki, Japan		
DIMENSIONS: mm		CHK	NAME MICRO POKE IN 1P ASSEMBLY		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	PRODUCT SPEC	APPLICATION SPEC	RESTRICTED TO
0 PLC ± 0.5		SIZE		CAGE CODE	DRAWING NO
1 PLC ± 0.5		A3		00779	C=2134611
2 PLC ± 0.5		WEIGHT		CUSTOMER DRAWING	
3 PLC ± 0.5		SCALE		NTS	SHEET 3 OF 3
4 PLC ± 0.5		FINISH		REV B	
ANGLES ± 30°					

1470-19 (1/08)