





3. MINIMUM PCB THICKNESS OF 1.5.

4 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS
PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A,
(CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE,
TIN-LEAD ON NEEDLE EYE.

5 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS
PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A,
(CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE,
TIN ON NEEDLE EYE.


△ 6 FOR HOLE SIZE AND PLATINGS, SEE APPLICATION SPEC 114-13219.

7 THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES, TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.


△8 LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE
WITH A HEIGHT OF 0.8mm.

9 ADDITIONAL COMPONENT LOCATED WITHIN
LATCHPLATE FOR EMI SUPPRESSION.


	YES 		NO LIGHT PIPES	1-2007399-8
			OUTER 2 LIGHT PIPES	1-2007399-7
			INNER 2 LIGHT PIPES	1-2007399-6
			4 LIGHT PIPES	1-2007399-5
	NO		NO LIGHT PIPES	2007399-8
			OUTER 2 LIGHT PIPES	2007399-7
			INNER 2 LIGHT PIPES	2007399-6
			4 LIGHT PIPES	2007399-5
SUPERSEDED	NO		NO LIGHT PIPES	2007399-4
			OUTER 2 LIGHT PIPES	2007399-3
			INNER 2 LIGHT PIPES	2007399-2
			4 LIGHT PIPES	2007399-1
	ENHANCED EMI	FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 100C12007 CHK D. SZCZESNY 100C12007 D. SZCZESNY 100C12007		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.10 1 PLC ± 0.10 2 PLC ± 0.10 3 PLC ± 0.10 4 PLC ± 0.10 4 PL $\pm .$ ANGLES $\pm .$		NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
		PRODUCT SPEC 108-2331 APPLICATION SPEC 114-13219		SIZE CAGE CODE DRAWING NO	
MATERIAL 		FINISH 		WEIGHT -	
CUSTOMER DRAWING		A100779		SCALE 4:1 SHEET 1 of 4 REV D	


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




2007399-5 AND 1-2007399-5
SCALE 3:1




2007399-6 AND 1-2007399-6
SCALE 3:1






2007399-7 AND 1-2007399-7
SCALE 3:1



2007399-8 AND 1-2007399-8
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK	10OCT2007	 TE Connectivity	
		CHK D. SZCZESNY	10OCT2007		
DIMENSIONS:		APVD D. SZCZESNY	10OCT2007	NAME	
mm		PRODUCT SPEC		CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
		108-2331		SIZE	
		APPLICATION SPEC		CAGE CODE DRAWING NO	
MATERIAL		114-13219		A100779C=2007399	
		WEIGHT		RESTRICTED TO	
		CUSTOMER DRAWING		-	
				SCALE	4:1
				SHEET	1 OF 4
				REV	D


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




RECOMMENDED PCB LAYOUT
COMPONENT SIDE OF BOARD
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 10OCT2007	TE Connectivity	
DIMENSIONS:		CHK D. SZCZESNY 10OCT2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. SZCZESNY 10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
	0 PLC ±0.10	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO	
	1 PLC ±0.10	108-2331	A100779C=2007399	
	2 PLC ±0.10	APPLICATION SPEC	RESTRICTED TO	
	3 PLC ±0.10	114-13219	-	
MATERIAL	ANGLES ±°	WEIGHT	CUSTOMER DRAWING	
FINISH		SCALE 4:1	SHEET 1 OF 4	REV D


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




DETAIL G
CONNECTOR HOUSING
KEEPOUT ZONE
4X INDIVIDUALLY
SCALE 10:1



RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 2:1



SECTION U-U

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK	10OCT2007	 TE Connectivity	
		CHK D. SZCZESNY	10OCT2007		
DIMENSIONS:		APVD D. SZCZESNY	10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
mm		PRODUCT SPEC			
		108-2331		SIZE A100779	
		APPLICATION SPEC			
		114-13219		CAGE CODE 2007399	
		FINISH			
MATERIAL		WEIGHT		CUSTOMER DRAWING	
				SCALE 4:1 SHEET 1 OF 4 REV D	