





Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

UNIT A



- NOTE 1. THE RECOMMENDED TIGHTENING TORQUE OF CAVER AND GROUND TO BE $0.315 \pm 0.06 \text{ N} \cdot \text{m}$.
THE RECOMMENDED TIGHTENING TORQUE OF CLAMP TO BE $0.63 \pm 0.12 \text{ N} \cdot \text{m}$.
2. THE RECOMMENDED TIGHTENING TORQUE OF CODING KEY TO BE $0.18 \pm 0.03 \text{ N} \cdot \text{m}$.
3. UNIT A TO BE ASSEMBLED TO FEMALE HOUSING D FOR FIG. 1
4. CODING KEY, AVAILABLE SEPARATELY, SHALL BE ATTACHED TO THIS PRODUCT AFTER ASSEMBLY.


6	PBT	BLACK, UL94V-0	12	STEEL	NICKEL PLATING M3×0.5
5	STAINLESS STEEL		11	STEEL	NICKEL PLATING
4	STAINLESS STEEL		10	PBT	BLACK, UL94V-0
3	PHOSPHOR BRONZE	NICKEL PLATING	9	STEEL	NICKEL PLATING M3×0.5
2	STAINLESS STEEL		8	STAINLESS STEEL	
1	ALUMINUM ALLOY	UNDER NICKEL PLATING + CHROME PLATING	7	ALUMINUM ALLOY	UNDER NICKEL PLATING + CHROME PLATING
NO.	MATERIAL	FINISH , REMARKS	NO.	MATERIAL	FINISH , REMARKS

<div>UNITS mm</div> <div></div>	SCALE 1 : 1	<div>COUNT</div> <div></div>	DESCRIPTION OF REVISIONS		DESIGNED	CHECKED	DATE
	APPROVED : NM. NISHIMATSU 15. 04. 28		DRAWING NO. EDC-128604-00-00				
	CHECKED : NM. NISHIMATSU 15. 04. 28		PART NO. TJ50A-41S-D-CV1				
	DESIGNED : MO. SHIMOYAMA 15. 04. 28		CODE NO. CL236-3120-5-00				
	DRAWN : MO. SHIMOYAMA 15. 04. 28		<div> 1/4</div>				

HRS

HIROSE
ELECTRIC
CO., LTD.







Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



HRS	DRAWING NO.	EDC-128604-00-00
	PART NO.	TJ50A-41S-D-CV1
	CODE NO.	CL236-3120-5-00
	<div>△2/4</div>	





Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

■ FEMALE HOUSING D (ATTACHED PARTS)




3 FIG.1 ASSEMBLY DRAWING (1:2)

■ CLAMP METAL (ATTACHED PARTS)



■ SCREW FOR CLAMP METAL (ATTACHED PARTS) (2:1)
(CROSS RECESSED NEED SCREWS WITH CAPTIVE WASHER)



DRAWING NO.	EDC-128604-00-00
PART NO.	TJ50A-41S-D-CV1
CODE NO.	CL236-3120-5-00

Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

