





LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		B1		REV PER ECR-13-004638	20MAR2013	ML	SZ



- 1 PART NUMBER, AND DATE CODE MARKED IN AREA SHOWN.
- 2 MATERIAL:
 HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
 SIGNAL CONTACT - COPPER ALLOY
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF SIGNAL AND POWER CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 HOLE.
- 8 VARIABLE DIMENSION SEE SHEET 2.



-	3.850	3.800	3.550	-	4.150	IIP + 12S	1892302-2
8	3.850	3.800	3.550	.475	4.150	IIP + 12S	1892302-1
DIM S	DIM D	DIM U	DIM W	DIM K	DIM L	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: C. ZHOU 08MAY2007
 CHK: S. ZHAO 08MAY2007

DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.1
 1 PLC ±0.1
 2 PLC ±0.02
 3 PLC ±.01
 4 PLC ±.002
 ANGLES ±.020

MATERIAL: FINISH: WEIGHT: CUSTOMER DRAWING

APVD: S. YAO
 PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038



NAME: RIGHT ANGLE HEADER ASSEMBLY
 DUAL BEAM POWER CONTACT
 MULTI-BEAM XL

SIZE: A1
 CAGE CODE: 00779
 DRAWING NO: 1892302

RESTRICTED TO: B1

SCALE: 4:1 SHEET 1 OF 3 REV: B1

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-



CODE	DESCRIPTION	ROW
S	STD SIGNAL CONTACT	A
N	STD SIGNAL CONTACT	B
K	STD SIGNAL CONTACT	C
J	STD SIGNAL CONTACT	D
TS	STD POWER CONTACT (DUAL BEAM)	-

CONTACTS


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.1 2 PLC ±0.02 3 PLC ±linear tol. 4 PLC ±linear tol. ANGLES ±	OWN: C. ZHOU 08MAY2007 CHK: S. ZHAO 08MAY2007 APVD: S. YAO NAME: S. YAO PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT: - Customer Drawing	TE Connectivity NAME: RIGHT ANGLE HEADER ASSEMBLY DUAL BEAM POWER CONTACT MULTI-BEAM XL SIZE: A1 CAGE CODE: 100779 DRAWING NO: 1892302 SCALE: 4:1 SHEET: 2 OF 3 REV: B1
-----------------------	--	--	--

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER										SIGNAL			
		P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	1	2	3
1892302-2	D												J	J	J
	C												K	K	K
	B												N	N	N
	A		HD										S	S	S
12S															

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN C. ZHOU CHK S. ZHAO	08MAY2007 08MAY2007	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD S. YAO	NAME -	
0 PLC ± 1 PLC ±0.1 2 PLC ±0.02 3 PLC ±linear tol. 4 PLC ±linear tol. ANGLES ±	± ±0.1 ±0.02 ±linear tol. ±linear tol. ±	PRODUCT SPEC 108-1973	ADDITIONAL SPEC 114-13038	RIGHT ANGLE HEADER ASSEMBLY DUAL BEAM POWER CONTACT MULTI-BEAM XL
MATERIAL	FINISH	WEIGHT	SIZE A100779	CAGE CODE C=1892302
Customer Drawing		SCALE 4:1	SHEET 3	OF 3
			REV B1	