


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
CF	39	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	REVISION PER ECO-05-006188	29JUN05	TW	RC




NOTES:

- PACKAGED IN PRINTED ZIPLOCK POLYBAG.
- LABEL ON POLYBAG TO READ AS FOLLOWS:  

621803-__	XX' = LENGTH
XX' DB9 F/F EXTENSION	PER TABLE
- WRAP FOIL OVER PRE-MOLD 360° FROM CONNECTOR SHELL TO SHELL.
- IF USING ALUMINUM MYLAR FOIL, ALUMINUM MUST BE FACING INWARD.
- THIS PRODUCT IS PRODUCED IN COMPLIANCE WITH ANSI/ASQC Z1.4-1993, TO AN INSPECTION LEVEL III, WITH A NORMAL SAMPLING PLAN.
- TEST REQUIREMENT:  
 CONTINUITY RESISTANCE: SEE TABLE.  
 INSULATION RESISTANCE: 50 M ohm MIN.  
 HI-POT TEST: DC 300V/0.01 Sec MIN.
- PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TYCO ENVIRONMENTAL STANDARD 230-702.

621803-3	180.0 <sup>+6.00</sup> / <sub>-2.00</sub>	15	3 OHM MAX
621803-2	120.0 <sup>+6.00</sup> / <sub>-2.00</sub>	10	2 OHM MAX
621803-1	72.0 <sup>+6.00</sup> / <sub>-2.00</sub>	6	1 OHM MAX
TYCO P/N	"L" LENGTH	LABEL XX'	CONTINUITY RESISTANCE

PIN ASSIGNMENT :



AR	MR	UL2464 28AWG*9C+DRAIN+AL/MYLAR, COLOR: BEIGE(BG01).	7
4	PC	#4-40 THUMBSCREW.	6
AR	KG	MOLD PVC, 30P, COLOR: BEIGE(BG01).	5
AR	MR	COPPER FOIL, W: 30.0MM, 360° SOLDERED.	4
AR	KG	INNER MOLD PE.	3
AR	KG	OVER MOLD PVC, 40P, COLOR: BEIGE(BG01).	2
2	PC	DB9 FEMALE, CONTACT: GOLD FLASH, SHELL: NICKEL PLATED, INSULATION COLOR: BLACK.	1
Q'TY	U/M	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	11-20-96	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608											
DIMENSIONS: INCHES		CHK	11-21-96												
TOLERANCES UNLESS OTHERWISE SPECIFIED:		R.CAPP	11-21-96												
<table style="font-size: small;"> <tr><td>0 PLC</td><td>± -</td></tr> <tr><td>1 PLC</td><td>± -</td></tr> <tr><td>2 PLC</td><td>± -</td></tr> <tr><td>3 PLC</td><td>± -</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> <tr><td>ANGLES</td><td>± -</td></tr> </table>		0 PLC	± -		1 PLC	± -	2 PLC	± -	3 PLC	± -	4 PLC	± -	ANGLES	± -	APVD
0 PLC	± -														
1 PLC	± -														
2 PLC	± -														
3 PLC	± -														
4 PLC	± -														
ANGLES	± -														
MATERIAL		D.WILSON		NAME											
FINISH		PRODUCT SPEC		CABLE ASSY, DB9 FEMALE TO FEMALE, OVERMOLDED											
		APPLICATION SPEC		SIZE											
		WEIGHT		CAGE CODE											
		CUSTOMER DRAWING		DRAWING NO											
				RESTRICTED TO											
				A3 00779 C-621803											
				SCALE											
				N.T.S											
				SHEET											
				1 OF 1											
				REV											
				A											