

## Cover profile - CD-HF COVER 30 - 3240370

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cover for cable duct, light gray, halogen-free, width: 30 mm, length: 2000 mm

The illustration shows the version in gray



### Key Commercial Data

|                        |          |
|------------------------|----------|
| Packing unit           | 1 pc     |
| Minimum order quantity | 10 pc    |
| Custom tariff number   | 39259020 |
| Country of origin      | Germany  |

### Technical data

#### Dimensions

|            |         |
|------------|---------|
| Length (b) | 2000 mm |
| Width (a)  | 30 mm   |
| Height     | 14.4 mm |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -30 °C ... 90 °C |
|---------------------------------|------------------|

#### General

|                                        |                     |
|----------------------------------------|---------------------|
| Color                                  | light grey RAL 7035 |
| Components                             | Halogen-free        |
| Flammability rating according to UL 94 | V0                  |
| Material                               | PC/ABS              |

#### Standards and Regulations

|                                        |    |
|----------------------------------------|----|
| Flammability rating according to UL 94 | V0 |
|----------------------------------------|----|

## Cover profile - CD-HF COVER 30 - 3240370

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140602 |
| eCl@ss 4.1 | 27140602 |
| eCl@ss 5.0 | 27140602 |
| eCl@ss 5.1 | 27140602 |
| eCl@ss 6.0 | 27400703 |
| eCl@ss 7.0 | 27400776 |
| eCl@ss 8.0 | 27400776 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000012 |
| ETIM 3.0 | EC000012 |
| ETIM 4.0 | EC000727 |
| ETIM 5.0 | EC000727 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30101815 |
| UNSPSC 7.0901 | 30101815 |
| UNSPSC 11     | 30101815 |
| UNSPSC 12.01  | 30101815 |
| UNSPSC 13.2   | 30101815 |

### Approvals

#### Approvals

---

##### Approvals

VDE Zeichengenehmigung

---

##### Ex Approvals

---

Approvals submitted

---

#### Approval details

## Cover profile - CD-HF COVER 30 - 3240370

### Approvals

VDE Zeichengenehmigung 

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>