



PANDUIT PART NO	BUNDLE DIAM		A in (mm)	B in (mm)	C in (mm)	D in (mm)	E in (mm)	F in (mm)	LOOP TENSILE lbs (N)	CROSS SECTION	WEIGHT lbs (g) / 100 pcs	TIP STYLES
	MIN in (mm)	MAX in (mm)										
S12-50	.12 (3.0)	2.99 (76)	.051 (1.3)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.331 (8.4)	11.81 (300)	50 (222)	STANDARD	0.461 (209.1)	CURVED
S15-50	.12 (3.0)	4.02 (102)	.051 (1.3)	.19 (4.8)	.299 (7.6)	.23 (5.9)	.331 (8.4)	14.57 (370)	50 (222)	STANDARD	0.521 (236.3)	CURVED
S17-50	.12 (3.0)	4.33 (110)	.051 (1.3)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.331 (8.4)	16.90 (430)	50 (222)	STANDARD	0.668 (303)	STRAIGHT
S21-50	.12 (3.0)	5.51 (140)	.055 (1.4)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.326 (8.3)	20.87 (530)	50 (222)	STANDARD	.804 (364.7)	STRAIGHT

NOTE:
SEE WWW.PANDUIT.COM FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE, PART MATERIAL,
PART COLOR AND ANY THIRD PARTY RECOGNITION OR COMPLIANCE.

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	TITLE	ITEM REVISION NAME	DATASET FILE NAME	MATERIAL:	DRAWING NUMBER:
00	3/15/17	ACC	JSWA	JADE	DRAWING RELEASED	012502	STRONGHOLD STANDARD TIES	00092FBK/00	00092FBK_DC/00	NYLON 6.6	00092FBK_DC
							CUSTOMER DRAWING				
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]				
							.x ± .1 [2.54] .xxx ± .020 [.51]				
							.xx ± .02 [.5] ANGLES ± 5 °				
							THIRD ANGLE PROJECTION				
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY	DATE	CHK	SCALE	SIZE
							ACC	2-22-17	JSWA	N/A	A
							SHT 1 OF 1				

D10100DA/20