





REVISIONS				
REV	ECO	DESCRIPTION	DATE	BY APPR
A1	-	RELEASED DRAWING	Nov-9-17	Rookie Tommy
A2	-	ADD THE G5 PART NUMBER	Jan-28-19	Blink Tommy
A3	-	CHANGE HAND CRIMPER	Nov-8-19	Flan Tommy



CONTACT ORIENTATION ON ROLL
 NOTES: (UNLESS OTHERWISE SPECIFIED)

- MATERIAL:
 - CONTACT BODY: COPPER ALLOY.
 - OUTER SPRING: STAINLESS STEEL.
- SPECIFICATIONS:
 - CURRENT RATING: 5A MAX.
 - TERMINATION TYPE: CRIMPING.
 - WIRE RANGE: 30~28AWG.
 - WIRE INSULATION DIA(MAX): \varnothing 1.8mm.
- ROHS COMPLIANT.
- ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
- AVAILABLE TOOLS:
 - HAND CRIMPER: MFX-3958. ^(A3)
 - CRIMP APPLICATOR: MFX-3957.
 - EXTRACTION TOOL: QXRT20.

P/N	CONTACT PLATING(MATING AREA)
SS28W2T	TIN PLATING OVER NICKEL.
SS28W2N	NICKEL PLATING OVER COPPERIZE.
SS28W2F	GOLD FLASH PLATING OVER NICKEL.
SS28W2G5	5 μ " GOLD PLATING OVER NICKEL.
SS28W2G10	10 μ " GOLD PLATING OVER NICKEL.
SS28W2G15	15 μ " GOLD PLATING OVER NICKEL.
SS28W2G30	30 μ " GOLD PLATING OVER NICKEL.



QUANTITY	PART NUMBER	DESCRIPTION	ITEM
		MATERIALS LIST	

UNLESS OTHERWISE SPECIFIED			
1) All dimensions are in millimeters.	DRAWN: Ril	DATE: Nov-8-19	Amphenol Sine Systems - www.amphenol-sine.com 44724 Montley Drive Clinton Township, MI 48038
2) Tolerances are as follows:	CHECKED: MWh	DATE: Nov-8-19	
3) Note reference = Δ	ENGINEER:	APPROVE: Tommy	
4) Note reference = Δ	CUSTOMER:	DATE: Nov-8-19	
5) Note reference = Δ	APPROVE:	DATE: Nov-8-19	

PROCESS SPECIFICATIONS		MATERIAL SPECIFICATIONS	
1) Pl. DEC 40-90	2) Fin. DEC 20-10	1) All dimensions are in millimeters.	2) Tolerances are as follows:
3) Note reference = Δ	4) Note reference = Δ	3) Note reference = Δ	4) Note reference = Δ
NEXT ASBY:		SCALE: NONE	