

Cable gland - HC-D-G-M20-PLRBK - 1411350

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



EVO plastic cable gland with bayonet locking, for housing series D, size M20, cable diameter: 7 - 13 mm.

Product Features



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	40.0 GRM
Custom tariff number	39269097
Country of origin	Poland

Technical data

Dimensions

Wrench size, union nut	22 mm
External cable diameter	7 mm ... 13 mm

Ambient conditions

Degree of protection	IP66 (DIN IEC 60529)
Ambient temperature (operation)	-40 °C ... 100 °C

General

Type of the screw connection	1x M20
Material	PA
Cable gland material	Polyamide
Material, pressure screw	PBT
Seal material	NBR
Cable seal material	NBR
Shielded	No

Cable gland - HC-D-G-M20-PLRBK - 1411350

Technical data

General

Thread type on connection side	Bayonet D plastic
Thread type on seal side	M20
Tightening torque, union nut	5.00 Nm
Inflammability class according to UL 94	V0 / V2

Classifications

eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 8.0	27149109

ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted


Approval details

EAC

Drawings

Cable gland - HC-D-G-M20-PLRBK - 1411350

Dimensional drawing



Dimensional drawing

Phoenix Contact 2015 © - all rights reserved
<http://www.phoenixcontact.com>