




| LOC | DIST | REVISIONS |     |                            |           |     |      |  |
|-----|------|-----------|-----|----------------------------|-----------|-----|------|--|
|     |      | P         | LTR | DESCRIPTION                | DATE      | DWN | APVD |  |
|     |      |           |     |                            |           |     |      |  |
| ES  | 00   |           | J3  | ADDED NEW DASH -23.        | 06DEC2010 | IL  | SZ   |  |
|     |      |           | J4  | ADDED NEW DASH NUMBER 2--4 | 12AUG2012 | CZ  | SZ   |  |
|     |      |           | J6  | REV PER ECR-13-014088      | 06SEP2013 | CZ  | SZ   |  |
|     |      |           | J7  | ADD NEW DASH NUMBER 2-5    | 10FEB2015 | CZ  | SZ   |  |

|                                        |  |                            |                                                                   |  |
|----------------------------------------|--|----------------------------|-------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN J. McCLINTON 22MAR2005 | TE Connectivity                                                   |  |
| DIMENSIONS: INCH                       |  | CHK D. TROUT 22MAR2005     |                                                                   |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD R. WHYNE 22MAR2005    | NAME                                                              |  |
| 0 PLC ±.005                            |  | PRODUCT SPEC               | VERTICAL HEADER ASSEMBLY W/ GUIDES AND SOLDER TAILS MULTI-BEAM XL |  |
| 1 PLC ±.005                            |  | 108-1973                   |                                                                   |  |
| 2 PLC ±.005                            |  | APPLICATION SPEC           | SIZE                                                              |  |
| 3 PLC ±.005                            |  | 114-13038                  | CAGE CODE                                                         |  |
| 4 PLC ±.0020                           |  | WEIGHT                     | DRAWING NO                                                        |  |
| ANGLES                                 |  | -                          | A100779                                                           |  |
| FINISH                                 |  | -                          | C=6600330                                                         |  |
| MATERIAL                               |  | -                          | CUSTOMER DRAWING                                                  |  |
| 1                                      |  | 2                          | SCALE 4:1                                                         |  |
|                                        |  |                            | SHEET 1 OF 10                                                     |  |
|                                        |  |                            | REV J7                                                            |  |

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| ES  | 00   | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

|    |         |          |         |         |         |         |         |         |         |         |         |                |                   |             |
|----|---------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------------|-------------------|-------------|
| J7 | .135    | .300     | .175    | 1.600   | -       | -       | 1.050   | 1.950   | .275    | .450    | 1.650   | YES            | 1P + 32S + 1P     | 2-6600330-5 |
|    | .135    | .300     | .175    | 1.300   | -       | -       | .750    | 1.650   | .275    | .450    | 1.350   | YES            | 1P + 20S + 1P     | 2-6600330-4 |
|    | .135    | .175     | -       | .400    | -       | -       | -       | .750    | .200    | .375    | .450    | YES            | 4S                | 2-6600330-3 |
|    | .135    | .300     | .425    | 1.600   | .250    | .250    | .800    | 1.950   | .275    | .450    | 1.650   | YES            | 2P + 12S + 2P     | 2-6600330-1 |
|    | .135    | .300     | .925    | 3.200   | .250    | .250    | 1.900   | 3.550   | .275    | .450    | 3.250   | YES            | 4P + 36S + 4P     | 2-6600330-0 |
|    | .135    | .300     | .975    | 3.000   | .250    | .250    | 1.700   | 3.350   | .275    | .450    | 3.050   | YES            | 4P + 24S + 4P     | 1-6600330-9 |
|    | .135    | .300     | .375    | 2.400   | .200    | .200    | 1.650   | 2.750   | .275    | .450    | 2.450   | YES            | 2HDP + 48S + 2HDP | 1-6600330-3 |
|    | .135    | .300     | .675    | 2.400   | .250    | .250    | 1.350   | 2.750   | .275    | .450    | 2.450   | YES            | 3P + 24S + 3P     | 1-6600330-2 |
|    | .135    | .325     | 1.700   | 4.500   | .300    | .300    | 2.400   | 4.850   | .300    | .475    | 4.550   | YES            | 6ACP + 24S + 6ACP | 1-6600330-1 |
|    | .135    | .300     | 2.175   | 5.400   | .250    | .250    | 2.850   | 5.750   | .275    | .450    | 5.450   | YES            | 9P + 24S + 9P     | 1-6600330-0 |
|    | .135    | .300     | .925    | 2.900   | .250    | .250    | 1.600   | 3.250   | .275    | .450    | 2.950   | NO             | 4P + 24S + 4P     | 6600330-9   |
|    | .135    | .300     | .975    | 3.250   | .250    | .250    | 1.700   | 3.600   | .275    | .450    | 3.300   | YES            | 4P + 24S + 5P     | 6600330-8   |
|    | .165    | .300     | .425    | 1.900   | .250    | .250    | 1.100   | 2.250   | .275    | .450    | 1.950   | YES            | 2P + 24S + 2P     | 6600330-6   |
|    | .135    | .300     | 1.375   | 4.000   | .200    | .200    | 2.250   | 4.350   | .275    | .450    | 4.050   | YES            | 7P + 32S + 7P     | 6600330-5   |
|    | .135    | .325     | .225    | 1.575   | -       | -       | .950    | 1.925   | .300    | .475    | 1.625   | YES            | 1P + 24S + 1P     | 6600330-4   |
|    | .135    | .300     | 1.975   | 4.200   | .300    | .250    | 2.725   | 4.550   | .275    | .450    | 4.250   | YES            | 8P + 24S + 4ACP   | 6600330-3   |
|    | .135    | .325     | .250    | 2.500   | -       | -       | 1.900   | 2.850   | .300    | .475    | 2.550   | YES            | 1P + 60S + 1P     | 6600330-2   |
|    | .135    | .325     | 1.150   | 5.200   | .250    | .300    | 1.875   | 5.550   | .300    | .475    | 5.250   | YES            | 4ACP + 24S + 12P  | 6600330-1   |
|    | DIM"CL" | DIM "TT" | DIM "W" | DIM "U" | DIM "T" | DIM "S" | DIM "R" | DIM "L" | DIM "K" | DIM "G" | DIM "D" | RETENTION CLIP | DESCRIPTION       | PART NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

J. McCLINTON

22MAR2005

CHK

D. TROUT

22MAR2005

APVD

R. WHYNE

22MAR2005

DIMENSIONS:

INCH

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±"

±"

±"

±.005

±.0020

±"

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

TE

TE Connectivity

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

6600330

-

SCALE

4:1

SHEET

2

OF

10

REV

J7

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

TE CONNECTIVITY

ALL RIGHTS RESERVED.

LOC

DIST

REV

DATE

OWN

APVD

ES

00

P

LTR

DESCRIPTION

DATE

OWN

APVD

SEE SHEET 1

-

-

-

| PART NUMBER | ROWS |    | POWER |    |    |    | SIGNAL |    |    |    |    |    | POWER |    |    |    |    |     |     |     |     |     |     |     |    |    |    |    |    |    |    |
|-------------|------|----|-------|----|----|----|--------|----|----|----|----|----|-------|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|
|             |      |    | P1    | P2 | P3 | P4 | I      | 2  | 3  | 4  | 5  | 6  | P5    | P6 | P7 | P8 | P9 | P10 | P11 | P12 | P13 | P14 | P15 | P16 |    |    |    |    |    |    |    |
| 6600330-1   | D    |    | SZ    | SZ | SZ | SZ | SV     | SV | SV | SV | SV | SV | SZ    | SZ | SZ | SZ | SZ | SZ  | SZ  | SZ  | SZ  | SZ  | SZ  | SZ  |    |    |    |    |    |    |    |
|             | SV   |    |       |    |    |    | SV     | SV | SV | SV | SV | SV |       |    |    |    |    |     |     |     |     |     |     |     | SV | SV | SV | SV | SV | SV |    |
|             | SV   |    |       |    |    |    | SV     | SV | SV | SV | SV | SV |       |    |    |    |    |     |     |     |     |     |     |     | SV | SV | SV | SV | SV | SV | SV |
|             | SV   |    |       |    |    |    | SV     | SV | SV | SV | SV | SV |       |    |    |    |    |     |     |     |     |     |     |     | SV | SV | SV | SV | SV | SV | SV |
| 4P+24S+12P  |      | HD |       |    |    |    |        |    |    |    |    |    |       |    |    |    |    |     |     |     |     |     |     |     |    |    |    |    |    |    | HD |

RECOMMENDED PCB LAYOUT 6600330-1  
SCALE 2:1

| PART NUMBER | ROWS |    | POWER |    |    |    | SIGNAL |    |    |    |    |    |    |    |    |    |    |    | POWER |    |  |  |    |
|-------------|------|----|-------|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|-------|----|--|--|----|
|             |      |    | P1    | I  | 2  | 3  | 4      | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | P2    |    |  |  |    |
| 6600330-2   | D    |    | SZ    | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV | SZ    |    |  |  |    |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV |       |    |  |  |    |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV |       | SV |  |  |    |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV | SV |       | SV |  |  |    |
| 1P+60S+1P   |      | HD |       |    |    |    |        |    |    |    |    |    |    |    |    |    |    |    |       |    |  |  | HD |

RECOMMENDED PCB LAYOUT 6600330-2  
SCALE 2:1

| PART NUMBER | ROWS |    | POWER |    |    |    | SIGNAL |    |    |    |    |    | POWER |    |    |    |    |    |    |    |  |  |    |
|-------------|------|----|-------|----|----|----|--------|----|----|----|----|----|-------|----|----|----|----|----|----|----|--|--|----|
|             |      |    | P1    | I  | 2  | 3  | 4      | 5  | 6  | 7  | 8  | 9  | 10    | 11 | 12 | 13 |    | 14 | 15 | P2 |  |  |    |
| 6600330-3   | D    |    | SZ    | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV    | SV | SV | SV | SV | SV | SZ |    |  |  |    |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV    | SV | SV | SV | SV | SV |    |    |  |  |    |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV    | SV | SV | SV | SV | SV |    | SV |  |  |    |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV | SV | SV | SV | SV    | SV | SV | SV | SV | SV |    | SV |  |  |    |
| 8P+24S+4ACP |      | HD |       |    |    |    |        |    |    |    |    |    |       |    |    |    |    |    |    |    |  |  | HD |

RECOMMENDED PCB LAYOUT 6600330-3  
SCALE 2:1

| PART NUMBER | ROWS |    | POWER |    |    |    | SIGNAL |    |    |    |    |  | POWER |  |  |  |  |
|-------------|------|----|-------|----|----|----|--------|----|----|----|----|--|-------|--|--|--|--|
|             |      |    | P1    | I  | 2  | 3  | 4      | 5  | 6  | P2 |    |  |       |  |  |  |  |
| 6600330-4   | D    |    | SZ    | SV | SV | SV | SV     | SV | SV | SZ |    |  |       |  |  |  |  |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV |    | SV |  |       |  |  |  |  |
|             | SV   |    |       | SV | SV | SS | SV     | SV | SV |    | SV |  |       |  |  |  |  |
|             | SV   |    |       | SV | SV | SV | SV     | SV | SV |    | SV |  |       |  |  |  |  |
| 1P+24S+1P   |      | HD |       |    |    |    |        |    |    |    |    |  | HD    |  |  |  |  |

RECOMMENDED PCB LAYOUT 6600330-4  
SCALE 2:1

|                 | RETENTION CLIP | HD         |
|-----------------|----------------|------------|
| STANDARD        | SIGNAL CONTACT | SV or MV   |
| MLBF            | SIGNAL CONTACT | SS or MS   |
|                 | POWER CONTACT  | SZ or MP   |
| MATING SEQUENCE | DESCRIPTION    | IDENTIFIER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

INCH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.005

1 PLC ±.005

2 PLC ±.005

3 PLC ±.005

4 PLC ±.005

ANGLES ±.002

FINISH

MATERIAL

OWN

J. McCLINTON

22MAR2005

CHK

D. TROUT

22MAR2005

APVD

R. WHYNE

22MAR2005

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

CUSTOMER DRAWING

NAME

VERTICAL HEADER ASSEMBLY W/ GUIDES AND SOLDER TAILS MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

©=6600330

SCALE

4:1

SHEET

3

OF

10


REV

J7


4805 (3/11)

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| ES  | 00   | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |


| PART NUMBER | ROWS |                                                                                   | POWER |    |    |    |    |    |    | SIGNAL |    |    |    |    |    |    |    |    |    | POWER |     |     |     |                                                                                     |    |  |  |
|-------------|------|-----------------------------------------------------------------------------------|-------|----|----|----|----|----|----|--------|----|----|----|----|----|----|----|----|----|-------|-----|-----|-----|-------------------------------------------------------------------------------------|----|--|--|
|             |      |                                                                                   | P1    | P2 | P3 | P4 | P5 | P6 | P7 | I      | 2  | 3  | 4  | 5  | 6  | 7  | 8  | P8 | P9 | P10   | P11 | P12 | P13 | P14                                                                                 |    |  |  |
| 6600330-5   | D    |  | SZ    | SZ | SZ | SZ | SZ | SZ | SV | SV     | SV | SV | SV | SV | SV | SV | SZ | SZ | SZ | SZ    | SZ  | SZ  | SZ  |  |    |  |  |
|             | C    |                                                                                   |       |    |    |    |    |    | SV | SV     | SV | SV | SV | SV | SV | SV |    |    |    |       |     |     |     |                                                                                     |    |  |  |
|             | B    |                                                                                   |       |    |    |    |    |    | SV | SV     | SV | SV | SV | SV | SV | SV |    |    |    |       |     |     |     |                                                                                     | SV |  |  |
|             | A    |                                                                                   |       |    |    |    |    |    | SV | SV     | SV | SV | SV | SV | SV | SV |    |    |    |       |     |     |     |                                                                                     | SV |  |  |
| 7P+32S+7P   |      | HD                                                                                |       |    |    |    |    |    |    |        |    |    |    |    |    |    |    |    |    |       |     |     | HD  |                                                                                     |    |  |  |




| PART NUMBER | ROWS |                                                                                     | POWER |    | SIGNAL |    |    |    |    |    | POWER |    |                                                                                     |
|-------------|------|-------------------------------------------------------------------------------------|-------|----|--------|----|----|----|----|----|-------|----|-------------------------------------------------------------------------------------|
|             |      |                                                                                     | P1    | P2 | 1      | 2  | 3  | 4  | 5  | 6  | P3    | P4 |                                                                                     |
| 6600330-6   | D    |  | MP    | MP | MV     | MV | MS | MV | MV | MV | MP    | MP |  |
|             | C    |                                                                                     |       |    | MV     | MV | MV | MV | MV | MV |       |    |                                                                                     |
|             | B    |                                                                                     |       |    | MV     | MV | MS | MV | MV | MV |       |    |                                                                                     |
|             | A    |                                                                                     |       |    | MV     | MV | MV | MV | MV | MV |       |    |                                                                                     |
| 2P+24S+2P   |      | HD                                                                                  |       |    |        |    |    |    |    |    |       |    | HD                                                                                  |



| PART NUMBER | ROWS |    | POWER |    |    |    | SIGNAL |    |    |    |    |   | POWER |    |    |    |    |    |
|-------------|------|----|-------|----|----|----|--------|----|----|----|----|---|-------|----|----|----|----|----|
|             |      |    | P1    | P2 | P3 | P4 | 1      | 2  | 3  | 4  | 5  | 6 | P5    | P6 | P7 | P8 | P9 |    |
| 6600330-8   | D    |    | SZ    | SZ | SZ | SZ | SS     | SV | SS | SV | SV |   | SZ    | SZ | SZ | SZ | SZ |    |
|             | C    |    |       |    |    |    | SV     | SV | SV | SV | SV |   |       |    |    |    |    |    |
|             | B    |    |       |    |    |    | SV     | SV | SV | SV | SV |   |       |    |    |    |    |    |
|             | A    |    |       |    |    |    | SS     | SS | SV | SV | SS |   |       |    |    |    |    |    |
| 4P+24S+5P   |      | HD |       |    |    |    |        |    |    |    |    |   |       |    |    |    |    | HD |



| PART NUMBER | ROWS |  | POWER |    |    |    | SIGNAL |    |    |    |    |    | POWER |    |    |    |  |
|-------------|------|--|-------|----|----|----|--------|----|----|----|----|----|-------|----|----|----|--|
|             |      |  | P1    | P2 | P3 | P4 | 1      | 2  | 3  | 4  | 5  | 6  | P5    | P6 | P7 | P8 |  |
| 6600330-9   | D    |  | SZ    | SZ | SZ | SZ | SV     | SV | SV | SV | SV | SV | SZ    | SZ | SZ | SZ |  |
|             | C    |  |       |    |    |    | SV     | SV | SV | SV | SV | SV |       |    |    |    |  |
|             | B    |  |       |    |    |    | SV     | SV | SV | SV | SV | SV |       |    |    |    |  |
|             | A    |  |       |    |    |    | SV     | SV | SV | SV | SV | SV |       |    |    |    |  |
| 4P+24S+4P   |      |  |       |    |    |    |        |    |    |    |    |    |       |    |    |    |  |



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN  
J. McCLINTON  
CHK  
D. TROUT  
APVD  
R. WHYNE

22MAR2005  
22MAR2005  
22MAR2005

DIMENSIONS:  
INCH

0 PLC ±  
1 PLC ±  
2 PLC ±  
3 PLC ±  
4 PLC ±  
ANGLES ±

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
±  
±.005  
±.0020  
FINISH

MATERIAL  
-

PRODUCT SPEC  
108-1973

APPLICATION SPEC  
114-13038

WEIGHT  
-

CUSTOMER DRAWING

NAME  
VERTICAL HEADER ASSEMBLY  
W/ GUIDES AND SOLDER TAILS  
MULTI-BEAM XL

SIZE  
A1

CAGE CODE  
100779

DRAWING NO.  
C=6600330

RESTRICTED TO  
-

SCALE  
4:1

SHEET  
4

OF  
10

REV  
J7


TE Connectivity

[illegible]4805 (3/11)

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| ES  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |


F


| PART NUMBER   | ROWS |  | POWER |    |    |    |    |    | SIGNAL |    |    |    |    |    | POWER |    |    |     |     |     |  |
|---------------|------|--|-------|----|----|----|----|----|--------|----|----|----|----|----|-------|----|----|-----|-----|-----|--|
|               |      |  | P1    | P2 | P3 | P4 | P5 | P6 | 1      | 2  | 3  | 4  | 5  | 6  | P7    | P8 | P9 | P10 | P11 | P12 |  |
| 1-6600330-1   | D    |  | SZ    | SZ | SZ | SZ | SZ | SV | SV     | SV | SV | SV | SV | SZ | SZ    | SZ | SZ | SZ  | SZ  |     |  |
|               | SS   |  |       |    |    |    |    | SS | SS     | SS | SS | SS |    |    |       |    |    |     |     |     |  |
|               | SS   |  |       |    |    |    |    | SS | SS     | SS | SS | SS |    |    |       |    |    |     |     |     |  |
|               | SS   |  |       |    |    |    |    | SS | SS     | SS | SS | SS |    |    |       |    |    |     |     |     |  |
| 6ACP+24S+6ACP |      |  | HD    |    |    |    |    |    |        |    |    |    |    |    |       |    |    |     |     | HD  |  |



|                                                                                       |                                        |                               |                                                                                                       |                            |               |
|---------------------------------------------------------------------------------------|----------------------------------------|-------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |                                        | DWN<br>McCLINTON<br>22MAR2005 |  TE Connectivity |                            |               |
| DIMENSIONS:<br>INCH                                                                   |                                        | CHK<br>D. TROUT<br>22MAR2005  |                                                                                                       |                            |               |
|  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |                               | APVD<br>R. WHYNE<br>22MAR2005                                                                         | NAME                       |               |
|                                                                                       | 0 PLC ±.                               |                               | PRODUCT SPEC                                                                                          | VERTICAL HEADER ASSEMBLY   |               |
|                                                                                       | 1 PLC ±.                               |                               | 108-1973                                                                                              | W/ GUIDES AND SOLDER TAILS |               |
|                                                                                       | 2 PLC ±.                               |                               | APPLICATION SPEC                                                                                      | MULTI-BEAM XL              |               |
|                                                                                       | 3 PLC ±.005                            |                               | 114-13038                                                                                             | SIZE                       | CAGE CODE     |
|                                                                                       | 4 PLC ±.0020                           |                               |                                                                                                       | DRAWING NO                 | RESTRICTED TO |
| MATERIAL                                                                              | FINISH                                 | WEIGHT                        | A100779C=6600330                                                                                      |                            | -             |
| CUSTOMER DRAWING                                                                      |                                        |                               | SCALE                                                                                                 | 4:1                        | SHEET 6 OF 10 |
|                                                                                       |                                        |                               | REV J7                                                                                                |                            |               |

| PART NUMBER       | ROWS |                                                                                     | POWER |    | SIGNAL |    |    |    |    |    |    |    |    |    |    |    | POWER |    |                                                                                     |
|-------------------|------|-------------------------------------------------------------------------------------|-------|----|--------|----|----|----|----|----|----|----|----|----|----|----|-------|----|-------------------------------------------------------------------------------------|
|                   |      |                                                                                     | P1    | P2 | 1      | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | P3    | P4 |                                                                                     |
| 1-6600330-3       | D    |  | SZ    | SZ | SV     | SV | SS | SS | SV | SS | SS | SV | SS | SS | SV | SS | SZ    | SZ |  |
|                   | C    |                                                                                     |       |    | SS     | SS | SV | SS | SS | SS | SS | SV | SS | SS | SS | SS |       |    |                                                                                     |
|                   | B    |                                                                                     |       |    | SV     | SV | SS | SS | SS | SS | SS | SV | SS | SS | SS | SS |       |    |                                                                                     |
|                   | A    | SS                                                                                  |       |    | SS     | SV | SS | SS | SS | SS | SS | SV | SS | SS | SS | SS |       |    | SS                                                                                  |
| 2HDP + 48S + 2HDP |      |                                                                                     |       |    |        |    |    |    |    |    |    |    |    |    |    |    |       |    |                                                                                     |

4805 (3/11)



[illegible]4805 (3/11)

| LOC |     | DIST        |  | REVISIONS |      |     |      |  |
|-----|-----|-------------|--|-----------|------|-----|------|--|
| P   | LYR | DESCRIPTION |  |           | DATE | DWN | APVD |  |
| -   | -   | SEE SHEET 1 |  |           | -    | -   | -    |  |
|     |     |             |  |           |      |     |      |  |
|     |     |             |  |           |      |     |      |  |
|     |     |             |  |           |      |     |      |  |

| PART NUMBER   | ROWS |  | POWER |    | SIGNAL |    |    | POWER |    |  |
|---------------|------|--|-------|----|--------|----|----|-------|----|--|
|               |      |  | P1    | P2 | 1      | 2  | 3  | P3    | P4 |  |
| 2-6600330-1   | D    |  | SZ    | SZ | SV     | SV | SV | SZ    | SZ |  |
|               | C    |  |       |    | SV     | SV | SV |       |    |  |
|               | B    |  |       |    | SV     | SV | SV |       |    |  |
|               | A    |  |       |    | SV     | SV | SV |       |    |  |
| 2P + 12S + 2P |      |  |       |    |        |    |    |       |    |  |

| PART NUMBER | ROWS |    | SIGNAL |  |    |
|-------------|------|----|--------|--|----|
|             |      |    | I      |  |    |
| 2-6600330-3 | D    |    | SV     |  |    |
|             | C    |    | SV     |  |    |
|             | B    |    | SV     |  |    |
|             | A    |    | SV     |  |    |
| 4S          |      | HD |        |  | HD |

J3



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN  
J. McCLINTON  
CHK  
D. TROUT  
APVD  
R. WHYNE

22MAR2005  
22MAR2005  
22MAR2005

DIMENSIONS:  
INCH

0 PLC ±  
1 PLC ±  
2 PLC ±  
3 PLC ±.005  
4 PLC ±.0020  
ANGLES  
FINISH

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:  
±  
±  
±.005  
±.0020  
-

PRODUCT SPEC  
108-1973  
APPLICATION SPEC  
114-13038  
WEIGHT  
-

SCALE  
4:1

SHEET  
9

OF  
10

REV  
J7

TE Connectivity

VERTICAL HEADER ASSEMBLY  
W/ GUIDES AND SOLDER TAILS  
MULTI-BEAM XL

SIZE  
A1

CAGE CODE  
00779

DRAWING NO  
C=6600330

RESTRICTED TO  
-

CUSTOMER DRAWING


SCALE  
4:1

SHEET  
9

OF  
10

REV  
J7

| PART NUMBER | ROWS |                                                                                     | POWER | SIGNAL |    |    |    |    |    |    |    | POWER |                                                                                     |
|-------------|------|-------------------------------------------------------------------------------------|-------|--------|----|----|----|----|----|----|----|-------|-------------------------------------------------------------------------------------|
|             |      |                                                                                     | P1    | 1      | 2  | 3  | 4  | 5  | 6  | 7  | 8  | P2    |                                                                                     |
| 2-6600330-5 | D    |  | SZ    | SV     | SV | SV | SV | SV | SV | SV | SV | SZ    |  |
|             | C    |                                                                                     |       | SV     | SV | SV | SV | SV | SV | SV | SV |       |                                                                                     |
|             | B    |                                                                                     |       | SV     | SV | SV | SV | SV | SV | SV | SV |       |                                                                                     |
|             | A    |                                                                                     |       | SV     | SV | SV | SV | SV | SV | SV | SV |       |                                                                                     |
| IP+32S+IP   |      | HD                                                                                  |       |        |    |    |    |    |    |    |    |       | HD                                                                                  |

4805 (3/11)