

MATERIAL:

CAGE:  
COPPER ALLOY

PLATING OPTION X=2:  
2.54um MIN. NICKEL


PLATING OPTION X=3:  
3.81um MIN. MATTE TIN  
OVER 1.27um MIN. NICKEL.

GASKET:  
CONDUCTIVE ELASTOMER  
FLAMMABILITY RATING  
UL94-V0


PACKAGING:  
TRAY PACKAGING

TEMPERATURE RANGE:  
-40C TO +85C


| REVISIONS |         |                           |          |          |
|-----------|---------|---------------------------|----------|----------|
| REV.      | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A         |         | PROPOSAL                  | MAR26/09 |          |
| B         |         | UPDATED                   | JUL14/09 |          |
| C         |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |



**P/N: U77-A641M-X081 SHOWN**



**P/N: U77-A241M-X081 SHOWN**



**P/N: U77-A441M-X081 SHOWN**

**AMPHENOL PART NUMBER CONFIGURATION**

U77 - A X 4 1 M - X 0 8 1

**PACKAGING**  
1 = TRAY PACKAGING

**PLATING**  
2 = NICKEL PLATING  
3 = MATTE TIN PLATING

**NUMBER OF PORTS**  
2 = 2 PORTS  
4 = 4 PORTS  
6 = 6 PORTS


**NOTE:**

**PRODUCT COMLIES WITH SFF 8433 SPEC.**

**DO NOT SCALE DRAWING**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.





|                                                                                                                                                   |  |                  |          |                                                   |                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|----------|---------------------------------------------------|------------------------------|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN MILLIMETERS<br>TOLERANCES ARE:<br><br>DECIMALS      ANGLES<br>X.X ± 0.38      ± 1°<br>X.XX ± 0.25 |  | APPROVALS        | DATE     | Amphenol Canada Corp.                             |                              |
|                                                                                                                                                   |  | DRAWN<br>ChigowX | MAR04/09 | TITLE                                             |                              |
|                                                                                                                                                   |  | CHECKED<br>J.SI  | MAR26/09 | 1XN SFP+ CAGE ASSEMBLY<br>WITH ELASTOMERIC GASKET |                              |
|                                                                                                                                                   |  | QA APPD          |          |                                                   |                              |
| MATERIAL AND FINISH<br>SEE NOTE 1                                                                                                                 |  | IE APPD          |          | SIZE<br>A3                                        | DWG. NO.<br>P-U77-AX41M-X081 |
| REF.                                                                                                                                              |  | DWG APPD<br>A.G. | MAR26/09 | SCALE<br>2:1                                      | PROJECT                      |
| CODE IDENT. NO.<br>03554                                                                                                                          |  |                  |          |                                                   | SHEET<br>1 OF 10             |



|                                                                                                                                                                                                                                                                                          |  |                  |          |                                                   |                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|----------|---------------------------------------------------|---------------------------|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN MILLIMETERS<br>TOLERANCES ARE:<br><br>DECIMALS                      ANGLES<br>X.X ± 0.38                      ± 1°<br>X.XX ± 0.25<br><br>MATERIAL AND FINISH<br>SEE NOTE 1<br><br>REF.<br><br>CODE IDENT. NO.                      03554 |  | APPROVALS        | DATE     | Amphenol Canada Corp.                             |                           |
|                                                                                                                                                                                                                                                                                          |  | DRAWN<br>ChigowX | MAR04/09 |                                                   |                           |
|                                                                                                                                                                                                                                                                                          |  | CHECKED<br>J.SI  | MAR26/09 | 1XN SFP+ CAGE ASSEMBLY<br>WITH ELASTOMERIC GASKET |                           |
|                                                                                                                                                                                                                                                                                          |  | QA APPD          |          |                                                   |                           |
|                                                                                                                                                                                                                                                                                          |  | IE APPD          |          | SIZE<br>A3                                        | DWG. NO. P-U77-AX41M-X081 |
|                                                                                                                                                                                                                                                                                          |  | DWG APPD<br>A.G. | MAR26/09 | SCALE<br>2:1                                      | PROJECT                   |
|                                                                                                                                                                                                                                                                                          |  |                  |          | SHEET<br>2 OF 10                                  | REV. C                    |

| PART NUMBER    | DIM "C" | DIM "D" |
|----------------|---------|---------|
| U77-A241M-X091 | 29.70   | 34.25   |
| U77-A441M-X091 | 58.20   | 62.75   |
| U77-A641M-X091 | 86.70   | 91.25   |


| REVISIONS |         |                           |          |          |
|-----------|---------|---------------------------|----------|----------|
| REV.      | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A         |         | PROPOSAL                  | MAR26/09 |          |
| B         |         | UPDATED                   | JUL14/09 |          |
| C         |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|                                                                                                                                                                                   |  |                  |          |                                                   |                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|----------|---------------------------------------------------|------------------------------|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN MILLIMETERS<br>TOLERANCES ARE:<br><br>DECIMALS                      ANGLES<br>X.X ± 0.38                      ± 1°<br>X.XX ± 0.25 |  | APPROVALS        | DATE     | Amphenol Canada Corp.                             |                              |
|                                                                                                                                                                                   |  | DRAWN<br>ChigowX | MAR04/09 |                                                   |                              |
|                                                                                                                                                                                   |  | DESIGNED         |          |                                                   |                              |
|                                                                                                                                                                                   |  | CHECKED<br>J.SI  | MAR26/09 | 1XN SFP+ CAGE ASSEMBLY<br>WITH ELASTOMERIC GASKET |                              |
| MATERIAL AND FINISH<br>SEE NOTE 1                                                                                                                                                 |  | QA APPD          |          |                                                   |                              |
| REF.                                                                                                                                                                              |  | IE APPD          |          | SIZE<br>A3                                        | DWG. NO.<br>P-U77-AX41M-X081 |
| CODE IDENT. NO.<br>03554                                                                                                                                                          |  | DWG APPD<br>A.G. | MAR26/09 | SCALE<br>2:1                                      | PROJECT<br>SHEET<br>3 OF 10  |



| REVISIONS |         |                           |          |          |
|-----------|---------|---------------------------|----------|----------|
| REV.      | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A         |         | PROPOSAL                  | MAR26/09 |          |
| B         |         | UPDATED                   | JUL14/09 |          |
| C         |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |

NOTE:  
PANEL CUTOUT SIZES PER SFF 8433 SPEC. FOR BELLY TO BELLY MOUNTING, DIM "E" (PCB THICKNESS) IS 3.0 mm MIN. DIM "F" RELATED TO DIM "E". FOR DIM "F" = DIM "E" - 0.44 mm. THE PANEL CUTOUT 10.40 mm MIGHT BE INCREASED UP TO 10.80 mm IN ORDER TO ACCOMODATE PCB TOLERANCE.


SECTION E-E

|                                                                                                                                                                             |  |                  |          |                                                         |                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|----------|---------------------------------------------------------|---------------------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br><br>DECIMALS                      ANGLES<br>X.X ± 0.38                      ± 1°<br>X.XX ± 0.25 |  | APPROVALS        | DATE     | Amphenol Canada Corp.                                   |                           |
|                                                                                                                                                                             |  | DRAWN<br>ChigowX | MAR04/09 |                                                         |                           |
|                                                                                                                                                                             |  | DESIGNED         |          |                                                         |                           |
|                                                                                                                                                                             |  | CHECKED<br>J.SI  | MAR26/09 | TITLE<br>1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET |                           |
| MATERIAL AND FINISH<br>SEE NOTE 1                                                                                                                                           |  | QA APPD          |          |                                                         |                           |
| REF.                                                                                                                                                                        |  | IE APPD          |          | SIZE<br>A3                                              | DWG. NO. P-U77-AX41M-X081 |
| CODE IDENT. NO. 03554                                                                                                                                                       |  | DWG APPD<br>A.G. | MAR26/09 | SCALE<br>2:1                                            | PROJECT                   |
|                                                                                                                                                                             |  |                  |          |                                                         | SHEET<br>4 OF 10          |

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|      |         | REVISIONS                 |          |          |
|------|---------|---------------------------|----------|----------|
| REV. | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A    |         | PROPOSAL                  | MAR26/09 |          |
| B    |         | UPDATED                   | JUL14/09 |          |
| C    |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |
|      |         |                           |          |          |




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|                                                                                                                                                                                                                                            |  |                   |  |          |  |                                                                |                              |                  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------|--|----------|--|----------------------------------------------------------------|------------------------------|------------------|--|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN MILLIMETERS<br>TOLERANCES ARE:<br><br>DECIMALS                      ANGLES<br>X.X ± 0.38                      ± 1°<br>X.XX ± 0.25<br><br>MATERIAL AND FINISH<br><br>SEE NOTE 1<br><br>REF. |  | APPROVALS         |  | DATE     |  | Amphenol Canada Corp.                                          |                              |                  |  |
|                                                                                                                                                                                                                                            |  | DRAWN<br>ChigowX  |  | MAR04/09 |  | TITLE<br><br>1XN SFP+ CAGE ASSEMBLY<br>WITH ELASTOMERIC GASKET |                              |                  |  |
|                                                                                                                                                                                                                                            |  | DESIGNED          |  |          |  |                                                                |                              |                  |  |
|                                                                                                                                                                                                                                            |  | CHECKED<br>J.SI   |  | MAR26/09 |  |                                                                |                              |                  |  |
|                                                                                                                                                                                                                                            |  | QA APPD           |  |          |  |                                                                |                              |                  |  |
|                                                                                                                                                                                                                                            |  | IE APP'D          |  |          |  | SIZE<br>A3                                                     | DWG. NO.<br>P-U77-AX41M-X081 | REV.<br>C        |  |
| CODE IDENT. NO.    03554                                                                                                                                                                                                                   |  | DWG APP'D<br>A.G. |  | MAR26/09 |  | SCALE<br>2:1                                                   | PROJECT                      | SHEET<br>5 OF 10 |  |

- NOTES:  
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
2. PADS AND VIAS ARE CHASSIS GROUND.  
3. THRU-HOLES, PLATING OPTIONAL.  
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |         |                           |          |          |
|-----------|---------|---------------------------|----------|----------|
| REV.      | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A         |         | PROPOSAL                  | MAR26/09 |          |
| B         |         | UPDATED                   | JUL14/09 |          |
| C         |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |




**RECOMMENDED PCB DESIGN  
FOR BELLY TO BELLY MOUNTING  
(P/N U77-A241M-X081)**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE  
OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|                                                                                                                                                   |  |                  |          |                                                   |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|----------|---------------------------------------------------|-----------|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN MILLIMETERS<br>TOLERANCES ARE:<br><br>DECIMALS      ANGLES<br>X.X ± 0.38      ± 1°<br>X.XX ± 0.25 |  | APPROVALS        | DATE     | Amphenol Canada Corp.                             |           |
|                                                                                                                                                   |  | DRAWN<br>ChigowX | MAR04/09 |                                                   |           |
| MATERIAL AND FINISH<br>SEE NOTE 1                                                                                                                 |  | DESIGNED         |          | 1XN SFP+ CAGE ASSEMBLY<br>WITH ELASTOMERIC GASKET |           |
|                                                                                                                                                   |  | CHECKED<br>J.SI  | MAR26/09 |                                                   |           |
| REF.                                                                                                                                              |  | QA APPD          |          | SIZE<br>A3                                        |           |
|                                                                                                                                                   |  | IE APPD          |          |                                                   |           |
| CODE IDENT. NO. 03554                                                                                                                             |  | DWG APPD<br>A.G. | MAR26/09 | SCALE<br>3:1                                      | PROJECT   |
|                                                                                                                                                   |  |                  |          | DWG. NO.<br>P-U77-AX41M-X081                      | REV.<br>C |
|                                                                                                                                                   |  |                  |          | SHEET<br>6 OF 10                                  |           |

|      |         | REVISIONS                 |          |          |
|------|---------|---------------------------|----------|----------|
| REV. | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A    |         | PROPOSAL                  | MAR26/09 |          |
| B    |         | UPDATED                   | JUL14/09 |          |
| C    |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |
|      |         |                           |          |          |




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|                                                                                         |  |                     |         |                    |  |                                                                        |                  |      |         |
|-----------------------------------------------------------------------------------------|--|---------------------|---------|--------------------|--|------------------------------------------------------------------------|------------------|------|---------|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN MILLIMETERS<br>TOLERANCES ARE:          |  | APPROVALS           |         | DATE               |  | Amphenol Canada Corp.                                                  |                  |      |         |
|                                                                                         |  | DRAWN               | ChigowX | MAR04/09           |  |                                                                        |                  |      |         |
| DECIMALS                      ANGLES<br>$X.X \pm 0.38$ $\pm 1^\circ$<br>$X.XX \pm 0.25$ |  | DESIGNED            |         |                    |  | TITLE<br><br><b>1XN SFP+ CAGE ASSEMBLY<br/>WITH ELASTOMERIC GASKET</b> |                  |      |         |
|                                                                                         |  | CHECKED             |         | J.SI      MAR26/09 |  |                                                                        |                  |      |         |
| MATERIAL AND FINISH<br><br>SEE NOTE 1                                                   |  | QA APPD             |         |                    |  |                                                                        |                  |      |         |
|                                                                                         |  | IE APP'D            |         |                    |  |                                                                        |                  |      |         |
| REF.                                                                                    |  |                     |         |                    |  | SIZE                                                                   | DWG. NO.         | REV. |         |
|                                                                                         |  |                     |         |                    |  | A3                                                                     | P-U77-AX41M-X081 | C    |         |
| CODE IDENT. NO.      03554                                                              |  | DWG APP'D      A.G. |         | MAR26/09           |  | SCALE                                                                  | PROJECT          |      | SHEET   |
|                                                                                         |  |                     |         |                    |  | 1:1                                                                    |                  |      | 7 OF 10 |

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |         |                           |          |          |
|-----------|---------|---------------------------|----------|----------|
| REV.      | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A         |         | PROPOSAL                  | MAR26/09 |          |
| B         |         | UPDATED                   | JUL14/09 |          |
| C         |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |
|           |         |                           |          |          |



**RECOMMENDED PCB DESIGN  
FOR BELLY TO BELLY MOUNTING  
(P/N U77-A441M-X081)**


**DO NOT SCALE DRAWING**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|                                                                                                                                                                                                                                             |  |                   |  |          |  |                                                                |  |         |  |                  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------|--|----------|--|----------------------------------------------------------------|--|---------|--|------------------|--|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN MILLIMETERS<br>TOLERANCES ARE:<br><br>DECIMALS                      ANGLES<br>X.X ± 0.38                      ± 1 °<br>X.XX ± 0.25<br><br>MATERIAL AND FINISH<br><br>SEE NOTE 1<br><br>REF. |  | APPROVALS         |  | DATE     |  | Amphenol Canada Corp.                                          |  |         |  |                  |  |
|                                                                                                                                                                                                                                             |  | DRAWN ChigowX     |  | MAR04/09 |  | TITLE<br><br>1XN SFP+ CAGE ASSEMBLY<br>WITH ELASTOMERIC GASKET |  |         |  |                  |  |
|                                                                                                                                                                                                                                             |  | DESIGNED          |  |          |  |                                                                |  |         |  |                  |  |
|                                                                                                                                                                                                                                             |  | CHECKED J.SI      |  | MAR26/09 |  |                                                                |  |         |  |                  |  |
|                                                                                                                                                                                                                                             |  | QA APPD           |  |          |  | SIZE<br>A3      DWG. NO. P-U77-AX41M-X081      REV. C          |  |         |  |                  |  |
|                                                                                                                                                                                                                                             |  | IE APP'D          |  |          |  |                                                                |  |         |  |                  |  |
| CODE IDENT. NO.    03554                                                                                                                                                                                                                    |  | DWG APP'D    A.G. |  | MAR26/09 |  | SCALE    2:1                                                   |  | PROJECT |  | SHEET    8 OF 10 |  |

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
  2. PADS AND VIAS ARE CHASSIS GROUND.
  3. THRU-HOLES, PLATING OPTIONAL.
  4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.


| REVISIONS |         |                           |          |          |
|-----------|---------|---------------------------|----------|----------|
| REV.      | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A         |         | PROPOSAL                  | MAR26/09 |          |
| B         |         | UPDATED                   | JUL14/09 |          |
| C         |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |



|                                                                                                                                                                             |  |                   |          |              |                                                |                              |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------|----------|--------------|------------------------------------------------|------------------------------|------------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br><br>DECIMALS                      ANGLES<br>X.X ± 0.38                      ± 1°<br>X.XX ± 0.25 |  | APPROVALS         |          | DATE         | Amphenol Canada Corp.                          |                              |                  |
|                                                                                                                                                                             |  | DRAWN             | ChigowX  | MAR04/09     |                                                |                              |                  |
|                                                                                                                                                                             |  | DESIGNED          |          |              | 1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET |                              |                  |
|                                                                                                                                                                             |  | CHECKED           | J.SI     | MAR26/09     |                                                |                              |                  |
| MATERIAL AND FINISH<br>SEE NOTE 1                                                                                                                                           |  | QA APPD           |          |              |                                                |                              |                  |
| REF.                                                                                                                                                                        |  | IE APPD           |          |              | SIZE<br>A3                                     | DWG. NO.<br>P-U77-AX41M-X081 | REV.<br>C        |
| CODE IDENT. NO.<br>03554                                                                                                                                                    |  | DWG APP'D<br>A.G. | MAR26/09 | SCALE<br>1:1 | PROJECT                                        |                              | SHEET<br>9 OF 10 |

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
  2. PADS AND VIAS ARE CHASSIS GROUND.
  3. THRU-HOLES, PLATING OPTIONAL.
  4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |         |                           |          |          |
|-----------|---------|---------------------------|----------|----------|
| REV.      | ECN/E-R | DESCRIPTION               | DATE     | APPROVED |
| A         |         | PROPOSAL                  | MAR26/09 |          |
| B         |         | UPDATED                   | JUL14/09 |          |
| C         |         | B-B APPLICATION SPECIFIED | AUG14/09 |          |



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|                                                                                                                                             |  |                  |          |                                                |                           |
|---------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|----------|------------------------------------------------|---------------------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br><br>DECIMALS      ANGLES<br>X.X ± 0.38      ± 1°<br>X.XX ± 0.25 |  | APPROVALS        | DATE     | Amphenol Canada Corp.                          |                           |
|                                                                                                                                             |  | DRAWN<br>ChigowX | MAR04/09 |                                                |                           |
|                                                                                                                                             |  | DESIGNED         |          | 1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET |                           |
|                                                                                                                                             |  | CHECKED<br>J.SI  | MAR26/09 |                                                |                           |
| MATERIAL AND FINISH<br>SEE NOTE 1                                                                                                           |  | QA APPD          |          |                                                |                           |
| REF.                                                                                                                                        |  | IE APPD          |          | SIZE<br>A3                                     | DWG. NO. P-U77-AX41M-X081 |
| CODE IDENT. NO. 03554                                                                                                                       |  | DWG APPD<br>A.G. | MAR26/09 | SCALE<br>3:2                                   | PROJECT                   |
|                                                                                                                                             |  |                  |          | SHEET<br>10 OF 10                              | REV. C                    |