a) Part as supplied.

202K111

H DIA ---- - J DIA

b) Part after unrestricted recovery.

DIMENSIONS   in millimetres
(in inches, for reference)

Part No.	H Min a	H Max b	J Min a	J Max b	P ±10% b	R ±10% b	S ±10% b	T ±10% b	JO ±10% b	HW ±20% b	JW ±20% b
202K111	17 (0.67)	6.9 (0.27)	17 (0.67)	3.0 (0.12)	39 (1.54)	24 (0.94)	1.7 (0.07)	0.9 (0.04)	10.8 (0.43)	1.3 (0.05)	0.7 (0.03)

Drawn A.LILLEY.   Checked   Issue 1   Date January 2002   Conforms to ISO Recommendations
                                                                        3rd Angle Projection
Approval   Not to Scale
Design   MKTG: Q.A.

Iss.	Date	E.C.R. No.	Details of Change

Ordering Information

202K111-*/**-0

- Adhesive Slash Number (if required see compatibility chart)
- Material Dash Number (see compatibility chart)
- Base Part Number

COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42 ,/86
-4	POLYOLEFIN, FLEXIBLE	RT-1304, RK-6704	/42 ,/86
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/86,/225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

(1) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity]():
  [202K111-25/225-0]()