



NOTES: UNLESS OTHERWISE SPECIFIED.

- FABRICATE TO MEET IPC - 6012, CLASS 2.
INSPECT TO MEET IPC - A - 600, CLASS 2.
- PRIMARY SIDE AND SECONDARY SIDE SHOWN.
- MATERIAL: GETEK 4 PLY (7628) 0.71 THK.
GRADE ML200D 1/2 OZ. COPPER BOTH SIDES.
DIELECTRIC CONSTANT @ 1MHZ 4.2±0.1.
- FINISH:
A: SOLDERMASK OVER BARE COPPER (SMOBC).
B: MASK BOTH SIDES OF PCB WITH LPI SOLDERMASK.
SOLDERMASK COLOR: NATURAL GREEN.
C: TOP AND BOTTOM OF TABS E.N.I.G PLATING
- TWO PLACE TOLERANCES: ±0.23
- PACKAGING: SINGULATED PARTS TO BE VACUUM PACKED
IN BULK.
- PARTS ARE COMPLIANT TO ROHS STANDARDS PER TYCO
ELECTRONICS STANDARD TEC-138-702.
- CONSULT TYCO ELECTRONICS DATA SHEET DS1513245
- CONTACT TYCO ELECTRONICS ENGINEERING
PRIOR TO DESIGNING INTO AN APPLICATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN D.WALLACE 26OCT2009	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK G.GRIFFITH 26OCT2009	NAME FAB DWG, ANTENNA, DCS/PCS 1710-1990 MHz	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G.GRIFFITH 26OCT2009	RESTRICTED TO	
0. PLC ± -	1. PLC ± -	PRODUCT SPEC	SIZE A1	CAGE CODE 00779
2. PLC ± -	3. PLC ± -	APPLICATION SPEC	DRAWING NO 1513245	SCALE 1:1
4. PLC ± -	ANGLES ± -	WEIGHT	SHEET 1 OF 1	REV A1
MATERIAL	FINISH	CUSTOMER DRAWING		