





PRODUCT NUMBER SEE SHEET 2




spec ref *				dr Zhen-Hua Liu		2015/06/26		projection		MM		size A3		scale 3:2			
tolerance std				eng Zhen-Hua Liu		2015/07/17						ecn no -					
ASME Y14.5				chr Fancy Zhang		2015/07/16											
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr Pei-Ming Zheng		2015/07/16		product family PwrBlade+				rel level Released					
surface		linear		0.X		±0.5				title 4ACP		dwg no 10106118-4000001		rev A			
				0.XX		±0.25											
				0.XXX		±0.10											
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw				sheet 1 of 3	



Copyright FCI.

PRODUCT NO.	ROWS	HIGH POWER					
		E1	P4	P3	P2	P1	E2
10106118-4000001LF	DCBA		H3	H3	H3	H3	




CODE	DESCRIPTION
H3	STD HIGH POWER CONTACT(3.43)
HA	METAL HOLD DOWN



dr	Zhen-Hua Liu	2015/06/26	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2
eng	Zhen-Hua Liu	2015/07/17			ecn no	-		
chr	Fancy Zhang	2015/07/16			rel level	Released		
appr	Pei-Ming Zheng	2015/07/16	product family		PwrBlade+			
	title	4ACP RA STB RECEPTACLE			dwg no	10106118-4000001		rev
www.fci.com	cat. no.	Product - Customer Drw				sheet 2 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION : GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Zhen-Hua Liu	2015/06/26	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2
eng	Zhen-Hua Liu	2015/07/17						
chr	Fancy Zhang	2015/07/16			ecn no -			
appr	Pei-Ming Zheng	2015/07/16			product family PwrBlade+		rel level Released	
<div></div> <div>www.fci.com</div>			title 4ACP RA STB RECEPTACLE		dwg no 10106118-4000001		rev A	
			cat. no.		Product - Customer Drw			sheet 3 of 3