



NOTES:

MATERIALS:

- 1. CONTACT = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04. 2. INSULATORS = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B". 3. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

- 1. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.

 2. ALL OTHER METAL PARTS = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .00010 TO .00020 COPPER STRIKE PER MIL-C-14550.

								1-	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		DWN: D.N.	DATE 05/23/11	Property of Radiall This document cannot be reproduced or communicated to a third party without prior					
DECIMAL ANGLE		CHKD: M.J.	DATE 05/23/11	a KADIA	a RADIALL companywritten permission of RADIALL.				
		APVD:	DATE	SMC STRAIGHT CABLE PLUG CLAMP TYPE FOR RG-178DS & SIMILAR CABLES					
		J.M.	05/23/11						
REFERENCE:		MATERIALS	& FINISHES:	SIZE ^	FSCM NO. 19505	DWG NO. 1002-1551	OO5 A]	
ORIGINATED: D.N. DATE: 05/23/11		SEE NOTES			19303		<u> </u>	4	
				scale 6:1		THIRD ANGLE PROJECTION	SHEET 1 OF 1		