




① MATERIAL :
CAGE ASSEMBLY - 0.25mm THICK NICKEL SILVER ALLOY
GASKET RETENTION PLATE - STAINLESS STEEL
GASKET - PLATED FILLED SILICONE
LIGHT PIPE BRACKET - STAINLESS STEEL
LIGHT PIPE - POLYCARBONATE, CLEAR

② MINIMUM PC BOARD THICKNESS = 1.50mm.

③ PADS AND VIAS CHASSIS GROUND.

④ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.

5. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.

6. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.


△ REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

8 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.


△9 HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.

△ LIGHT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY TO BE
PRESSED INTO THE PCB PRIOR TO ATTACHING THE LIGHT PIPE ASSEMBLY TO THE CAGE.



11. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.




P/N: 2007093-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. <u>M. SCHMITT</u> 21JUN2007 CHK. <u>M. SCHMITT</u> 21JUN2007 APPR. <u>B. WERTZ</u> 21JUN2007		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES $\pm 1^\circ$		NAME SFP+ 1X4 CAGE ASSEMBLY PRESS FIT, EMI GASKET WITH LIGHT PIPES	
		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120 WEIGHT -		SIZE CAGE CODE DRAWING NO A100779C2007093	
MATERIAL 		FINISH -		RESTRICTED TO 1 OF 3 REV D	
Customer Drawing					


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-		SEE SHEET 1	-	-	-



2007093-1
MOUNTED ON PC BOARD SHOWN
THRU RECOMMENDED BEZEL



2007093-1
MOUNTED ON PC BOARD SHOWN
THRU RECOMMENDED BEZEL



P/N:2007093-2 AS SHOWN
UNSPECIFIED DIMENSIONS REFER TO PN 2007093-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: M. SCHMITT 21JUN2007	TE Connectivity	
DIMENSIONS:		CHK: M. SCHMITT 21JUN2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: B. WERTZ 21JUN2007	NAME	
	0 PLC ±0.1	PRODUCT SPEC	SFP+ 1X4 CAGE ASSEMBLY PRESS FIT, EMI GASKET WITH LIGHT PIPES	
	1 PLC ±0.1	108-2364		
	2 PLC ±0.1	APPLICATION SPEC		
	3 PLC ±0.1	114-13120		
MATERIAL	FINISH	WEIGHT	SIZE	CAGE CODE
-	-	-	A100779	C=2007093
Customer Drawing		SCALE	5:1	SHEET 2 OF 3
		REV	D1	

