

## 6010M, 6011M, 6012M, 6013M and 6091M Series Oil-Tight Non-Relampable Neon-LED Indicator Lights

### Description and Features



Solid-state indicator lights complete with built-in current-limiting resistor and rectifier diode.

Meets NEMA Class 13

Mounting: Ø.380(9.65) hole. Supplied with internal tooth lock washer and hex nut.

Wire Leads: Neon Models: No. 18 AWG (105°C) 4.4 (111.8)/4.8 (121.9) long, stripped .43 (10.9)/.57 (14.5)  
LED Models: No. 22 AWG (105°C) 4.4 (111.8)/4.8 (121.9) long, stripped .43 (10.9)/.57 (14.5)

Lens: Polycarbonate

Bezel: Polished stainless steel.

Gaskets: Buna-N

Housing: Black Nylon

| Lens Color | Neon Indicator            |                           |
|------------|---------------------------|---------------------------|
|            | Model No.<br>(105-125VAC) | Model No.<br>(208-250VAC) |
| Red        | 6010M1                    | 6011M1                    |
| Amber      | 6010M3                    | 6011M3                    |
| Green      | 6012M5*                   | 6013M5*                   |
| Lamp used  | C2A+Resistor              | C2A+Resistor              |
| Lamp Color | Black                     | 1 Black/1 Red             |

| Lens Color               | LED Solid State Indicator |                      |                       |
|--------------------------|---------------------------|----------------------|-----------------------|
|                          | Model No.<br>for 12V      | Model No.<br>for 24V | Incorporates<br>LED** |
| Red                      | 6091M1-12V                | 6091M1-24V           | 4304H1                |
| Green                    | 6091M5-12V                | 6091M5-24V           | 4304H5                |
| Yellow                   | 6091M7-12V                | 6091M7-24V           | 4304H7                |
| Internal Resistor (ohms) | 390                       | 1000                 | -                     |

\* Incorporates G2B lamp and resistor.  
Underwriters Laboratories (UL) File  
No. E20356

\*\*Note: Also incorporates IN4004 (400 P.I.V.) rectifier diode. Red lead positive.