

## Cable gland - HC-B-G-M20-EC-AL - 1411439

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



EVO EMC cable gland with bayonet locking, B series, size M20, cable diameter: 7 - 13 mm

### Product description

Metal cable gland

### Product Features



### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 40.0 GRM |
| Custom tariff number                 | 85389099 |
| Country of origin                    | Germany  |

### Technical data

#### Dimensions

|                         |                |
|-------------------------|----------------|
| Wrench size, union nut  | 22 mm          |
| External cable diameter | 9 mm ... 12 mm |

#### Ambient conditions

|                                 |                            |
|---------------------------------|----------------------------|
| Degree of protection            | IP66                       |
| Ambient temperature (operation) | -40 °C ... 125 °C (static) |

#### General

|                              |                                        |
|------------------------------|----------------------------------------|
| Type of the screw connection | M20                                    |
| Material                     | Die-cast aluminum, corrosion-resistant |

## Cable gland - HC-B-G-M20-EC-AL - 1411439

### Technical data

#### General

|                                |                                        |
|--------------------------------|----------------------------------------|
| Housing material               | Die-cast aluminum, corrosion resistant |
| Cable gland material           | Aluminum                               |
| Material, pressure screw       | Nickel-plated brass                    |
| Seal material                  | NBR                                    |
| Cable seal material            | NBR                                    |
| Shielded                       | Yes                                    |
| Thread type on connection side | Bayonet B metal                        |
| Thread type on seal side       | M20                                    |
| Tightening torque, union nut   | 7.50 Nm                                |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27143424 |
| eCl@ss 8.0 | 27149109 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 4.0 | EC000441 |
| ETIM 5.0 | EC000441 |

### Approvals

#### Approvals

#### Approvals

#### EAC

#### Ex Approvals

#### Approvals submitted


#### Approval details

|     |
|-----|
| EAC |
|-----|

## Cable gland - HC-B-G-M20-EC-AL - 1411439

### Drawings

Dimensional drawing



Dimensional drawing