





THIS DRAWING IS UNPUBLISHED
 RELEASED FOR PUBLICATION 2015
 © COPYRIGHT 2013 BY TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	NEW RELEASE PER ECO-13-009012	26APR2013	JA	RM
	A1	REVISED PER ECO-15-006257	23APR2015	JA	DM
	A2	REVISED PER ECO-16-001711	23DEC2015	DH	DM



3D VIEW



- 2. CLIP RETENTION FORCE SHALL BE 20 LBF [89] MINIMUM.
- 1. THIS PART MATES WITH DT, DTM, DTP, DTHD, DTCE RECEPTACLES OR OTHER PARTS WITH THE CLIP RETENTION FEATURE.

NOTES: UNLESS OTHERWISE SPECIFIED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26APR2013	TE Connectivity	
DIMENSIONS: INCHES [mm]		CHK	26APR2013		
		APVD	26APR2013		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:			
MATERIAL		NAME		METAL CLIP, 8.2MM HOLE SIDE MOUNTING BRACKET	
STEEL		ROBERT MILLIGAN		SIZE	A3
FINISH		ROBERT MILLIGAN		CAGE CODE	4AFU8
ZINC		ROBERT MILLIGAN		DRAWING NO	1027-017-1200
0 PLC ±		PRODUCT SPEC		RESTRICTED TO	-
1 PLC ±		APPLICATION SPEC		SCALE	NONE
2 PLC ±		WEIGHT		SHEET	1 OF 1
3 PLC ±.025 [0.64]		12.6g		REV	A2
4 PLC ±		Customer Drawing			
ANGLES ±					
±0°30'0"					