



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Rotary head
Product compatibility	XCKJ
Associated lever	ZCKY11
	ZCKY13
	ZCKY14
	ZCKY41
	ZCKY43
	ZCKY51
	ZCKY52
	ZCKY53
	ZCKY59
	ZCKY81
	ZCKY91
Associated body	ZCKJ1
	ZCKJ11
	ZCKJ11H29
	ZCKJ11H7
	ZCKJ1H29
	ZCKJ1H7
	ZCKJ2
	ZCKJ21
	ZCKJ21H29
	ZCKJ21H7
	ZCKJ2H29
	ZCKJ2H7
	ZCKJ4
	ZCKJ404
	ZCKJ404H29
	ZCKJ404H7
	ZCKJ41
	ZCKJ4104
	ZCKJ4104H29
	ZCKJ4104H7
	ZCKJ41H29
	ZCKJ41H7
	ZCKJ4H29
	ZCKJ4H7
	ZCKJ5
	ZCKJ5H29
	ZCKJ5H7
	ZCKJ6
	ZCKJ6H29
	ZCKJ6H7
	ZCKJ7
	ZCKJ7H29
	ZCKJ7H7
	ZCKJ8
	ZCKJ8H29
	ZCKJ8H7
	ZCKJ9
	ZCKJ9H29
	ZCKJ9H7
	ZCKJD31
	ZCKJD31H29
	ZCKJD31H7
	ZCKJD35
	ZCKJD35H29
	ZCKJD35H7
	ZCKJD37
	ZCKJD37H29
	ZCKJD37H7

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

ZCKJD39  
ZCKJD39H29  
ZCKJD39H7

Movement of operating head	Rotary
Type of operator	Without operating lever spring return
Type of approach	Lateral approach 1 or 2 programmable direction

### Complementary

Switch actuation	From left and/or right CW and/or CCW
Positive opening	With
Head material	Metal

### Environment

ambient air temperature for operation	-13...158 °F (-25...70 °C)
ambient air temperature for storage	-40...158 °F (-40...70 °C)
environmental characteristic	Standard environment

### Offer Sustainability

Green Premium product	Green Premium product
Compliant - since 0851 - Schneider Electric declaration of conformity	Compliant - since 0851 - Schneider Electric declaration of conformity
Reference not containing SVHC above the threshold	Reference not containing SVHC above the threshold
Need no specific recycling operations	Need no specific recycling operations
WARNING: This product can expose you to chemicals including:	WARNING: This product can expose you to chemicals including:
Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and	Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and
Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
For more information go to <a href="http://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>	For more information go to <a href="http://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>

### Contractual warranty

Warranty period	18 months
-----------------	-----------