

Cable gland - G-INSEC-M40-M68N-NCRS-S - 1411192

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Brass, nickel-plated, External cable diameter 19 mm ... 27 mm, Shielding: Yes, Connecting thread: M40, Color: silver

Product Features



Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
Custom tariff number	74199990
Country of origin	Germany

Technical data

Dimensions

Length	41 mm
Length without connecting thread	33 mm
Connecting thread diameter	40 mm
Wrench size, union nut	43 mm
Wrench size, support	43 mm
Hexagon angular dimension GRP	46 mm
Length of the connecting thread	8 mm
External cable diameter	19 mm ... 27 mm

Ambient conditions

Degree of protection	IP68
Ambient temperature (operation)	-20 °C ... 100 °C

Cable gland - G-INSEC-M40-M68N-NCRS-S - 1411192

Technical data

General

Cable gland material	Brass, nickel-plated
Cable seal material	CR/NBR
O-ring material	NBR
Shielded	Yes
Thread type on connection side	M40
Color	silver

Classifications

eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

Approvals

Approvals

Approvals

UL Listed / UL Recognized / cUL Listed / cUL Recognized / cULus Recognized / cULus Listed

Ex Approvals

Approvals submitted

Approval details

 UL Listed

Cable gland - G-INSEC-M40-M68N-NCRS-S - 1411192

Approvals

UL Recognized




cUL Listed



cUL Recognized



cULus Recognized



cULus Listed



Drawings

Dimensional drawing

