



Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER						SIGNAL						
		E1	P1	P2	P3	P4	P5	P6	1	2	3	4	5	E2
51732-038-- NOTE 3	038A													



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER
HA	[N/A]	HOLD-DOWN
E	[5.59]	SIGNAL

mat'l code				SEE NOTE				tolerances unless otherwise specified				CUSTOMER	
lfr	ecn no.	dr	date	linear	0.X ± 0.3			COPY		www.fciconnect.com title 6P + 20S RIGHT ANGLE SOLDER HEADER product family PwrBlade code 213 size dwg no 51732-038 sheet 1 of 4 scale 1:1			
A	DG07-0069	JUL1A	02/15/07	angles	0.XX ± 0.13			projection					
				dr	0.XXX ± 0.051								
				enrg	0° ± 2°			MM					
				chr	JULIA WANG	02/15/07		scale					
				appd	RYAN YUAN	02/15/07		1:1					
					BEER FU	02/15/07							
					JOSEPH HSIA	02/15/07							
sheet index	revision	A	A	A	A								
	sheet	1	2	3	4								

cage code 22526


Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER  
51732-038--  
NOTE: 3



BROKEN-OUT SECTION A-A  
SCALE 2:1



BROKEN-OUT SECTION B-B  
SCALE 2:1



SECTION C-C

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com		
lfr	ecr no.	dr	date	linear	0.X ±0.3	projection		COPY		title				
A				angles	0.XX ±0.13			6P + 20S		RIGHT ANGLE SOLDER HEADER				
				dr	0.XXX ±0.051			product family		PwrBlade		code		
				enrg	0° ±2°	MM		size		dwg no		213		
				chr	JULIA WANG 02/15/07	1:1		A		51732-038		sheet		
				appd	RYAN YUAN 02/15/07							2 of 4		
					BEER FU 02/15/07									
					JOSEPH HSIA 02/15/07									
sheet index	revision sheet													


cage code 22526

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



RECOMMENDED PCB LAYOUT

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ± 0.3	COPY		projection		title	
A				angles	0.XX ± 0.13					6P + 20S RIGHT ANGLE SOLDER HEADER	
				dr	0.XXX ± 0.051	JULIA WANG 02/15/07				product family PwrBlade code 213	
				enrg	0° ± 2°	RYAN YUAN 02/15/07		MM		size	
				chr		BEER FU 02/15/07		scale 1:1		dwg no 51732-038	
				appd		JOSEPH HSIA 02/15/07				sheet 3 of 4	
sheet index	revision sheet										

cage code 22526

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER  
51732-038--  
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC  
POWER CONTACT MATERIAL: COPPER ALLOY  
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. 51732-038;51732-038LF PLATING SPEC. SEE PRINT:100641831
- 4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.  
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.

PCB NOTES:

- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9.  $\varnothing 1.151 \pm 0.025$  DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE  $\varnothing 1.02 \pm .07$  HOLE.
- 10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- 11. CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ± 0.3	COPY		projection		title			
A					0.XX ± 0.13					6P + 20S			
				angles	0.XXX ± 0.051					RIGHT ANGLE SOLDER HEADER			
				dr	0° ± 2°			MM		product family		PwrBlade	code
				enrg	JULIA WANG 02/15/07			scale		size		dwg no	213
				chr	RYAN YUAN 02/15/07			1:1		A		51732-038	sheet
				appd	BEER FU 02/15/07							4 of 4	
					JOSEPH HSIA 02/15/07								
sheet index	revision sheet												

A

A

B

B

1 | 2

3 |

4

1 | 2

Pro/E

3 |

cage code 22526

4