






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
1		INITIAL RELEASE	22AUG2018	SH SH
2		ADDED APPLICATION SPEC	18DEC2018	SH SH
A		INITIAL RELEASE	12JUN2019	SH SH



- 1 CAGE ASSEMBLY: STAINLESS STEEL  
HEAT SINK: ALUMINUM/ANODIZED BLACK  
HEAT SINK CLIP: STAINLESS STEEL  
EMI SPRING: COPPER ALLOY/ NICKEL PLATED
- 2 REFERENCE APPLICATION SPECIFICATION 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS. BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
- 4 DATE CODE (YYWW) MARKED APPROXIMATELY AS SHOWN.
- 5. MATES WITH QSFP-DD MSA COMPATIBLE TRANSCEIVER.
- 6. MINIMUM PC BOARD THICKNESS:  
SINGLE SIDED: 1.57 MIN  
DOUBLE SIDED: 3.0 MIN



DETAIL A  
SCALE 8:1

SCALE 3:1

HS SPECIFICATION	DIM A	PART NUMBER	DESCRIPTION	ITEM
NET	23.00	2342886-3	CAGE ASSY WITH NET HS	3
SAN	16.00	2342886-2	CAGE ASSY WITH SAN HS	2
PCI	13.70	2342886-1	CAGE ASSY WITH PCI HS	1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	22AUG2018
mm	0 PLC ± 0.25	CHK	STEPHEN H
	1 PLC ± 0.25	CHK	SEAN HAN
	2 PLC ± 0.25	CHK	SEAN HAN
	3 PLC ± -	APVD	22AUG2018
	4 PLC ± -	NAME	SEAN HAN
	ANGLES ± 1	PRODUCT SPEC	
	FINISH -	APPLICATION SPEC	
MATERIAL	-	WEIGHT	-
	-	CUSTOMER DRAWING	

STE TE Connectivity





**PRELIMINARY**

CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	2342886	-
SCALE	1:1	SHEET	1 OF 4
REV	A		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN STEPHEN HE 22AUG2018	TE Connectivity	
		CHK SEAN HAN 05JUL2018		
		APVD SEAN HAN 22AUG2018	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1 FINISH -		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -
MATERIAL -		SIZE A2 CAGE CODE - DRAWING NO. 2342886 RESTRICTED TO -		
		CUSTOMER DRAWING		SCALE 1:1 SHEET 2 OF 4 REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-





2 23XØ1.05±0.05  
 Ø0.10 Z L-K  
 (PLATED THROUGH HOLE)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 STEPHEN HE	TE Connectivity	
		CHK 05JUL2018 SEAN HAN		
		APVD 22AUG2018 SEAN HAN	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1 FINISH -		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -
MATERIAL -		SIZE A2 CAGE CODE - DRAWING NO. 2342886 RESTRICTED TO -		
		CUSTOMER DRAWING SCALE 1:1 SHEET 3 OF 4 REV A		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



DETAIL C  
 SCALE 8:1

DETAIL B  
 SCALE 6:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 STEPHEN HE	TE Connectivity	
		CHK 05JUL2018 SEAN HAN		
		APVD 22AUG2018 SEAN HAN	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
DIMENSIONS: mm		PRODUCT SPEC -		SIZE A2
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC -		CAGE CODE G-2342886
0 PLC ± 0.25		WEIGHT -		DRAWING NO 2342886
1 PLC ± 0.25		CUSTOMER DRAWING		RESTRICTED TO -
2 PLC ± 0.25		SCALE 1:1		SHEET 4 OF 4
3 PLC ± -				REV A
4 PLC ± -				
ANGLES ± 1				
FINISH -				