







LOC		DIST		REVISIONS					
FX		00		P	LYR	DESCRIPTION	DATE	OWN	APVD
				S10		REVISED PER ECO-09-009758	23APR2009	DLD	DCM
				S11		REVISED PER ECO-09-028550	29DEC2009	DLD	DCM



SCALE 1:1



- △ MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- △ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- △ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS. BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

SEE PINOUT CHARTS		PART NUMBER	
R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
D. STRAUSSER 01AUG2003		SIZE 00779	
PRODUCT SPEC		DRAWING NO C=1438082	
APPLICATION SPEC		RESTRICTED TO	
WEIGHT		SCALE 4:1	
CUSTOMER DRAWING		SHEET 1 OF 5	

LOC	DIST	REVISIONS			
FX	00	P	LYR	DESCRIPTION	DATE
		-	-	SEE SHEET 1	-

	45	43			39	37	36	35			31					24					18	17	16		14	13	12			9		7	6				2	1	9-1438082-7	2LIT-14A464-SD-051							
			42																	20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050							
			42																	20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049							
			42																	20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048						
								35						27																										9-1438082-3	2LIT-14A464-SD-047						
	45	43					36	35			32	31				24		21		19	18	17	16		14	12						7	6					1	9-1438082-1	2LIT-14A464-SD-046							
46											31																														9-1438082-0	2LIT-14A464-SD-045					
											31					24							16									8					3	2			8-1438082-9	2LIT-14A464-SD-044					
														27																											8-1438082-8	2LIT-14A464-SD-043					
	45	44	43	42		40	38	37	36		33	31		29		24	22		20		18	17	16	15						9	8					3					8-1438082-7	2LIT-14A464-SD-042					
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		19	18	17	16	15						9	8		6			2					8-1438082-6	2LIT-14A464-SD-041				
46											31																					9			6				3				8-1438082-5	2LIT-14A464-SD-040			
			43	42			39	37											20	19	18							11	10	9								2	1			8-1438082-4	2LIT-14A464-SD-039				
			43								31		29								18																					8-1438082-3	2LIT-14A464-SD-038				
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15							9	8						2					8-1438082-0	2LIT-14A464-SD-037			
	45		43						36	35			31			24							16		14		12						7	6					2	1				7-1438082-9	2LIT-14A464-SD-036		
	45		43						36	35			31			24		21		19			16		14		12						7	6					2	1				7-1438082-8	2LIT-14A464-SD-035		
			43	42			39	38	37			32			28						19	18	17	16					10	9													7-1438082-5	2LIT-14A464-SD-034			
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15						9	8		6					2					7-1438082-4	2LIT-14A464-SD-033			
	45	44	43	42		40	38	37	36		33	31				24	22	21	20		18	17	16	15						9	8		6					2					7-1438082-3	2LIT-14A464-SD-032			
					40									29																	9												6-1438082-6	2LIT-14A464-SD-031			
															27													12															6-1438082-3	2LIT-14A464-SD-030			
															27																				6								6-1438082-2	2LIT-14A464-SD-029			
															27																				6								6-1438082-1	2LIT-14A464-SD-028			
													29	28		25			21			18		16									6	5									5-1438082-6	2LIT-14A464-SD-027			
													29	28		25			21				16										6	5									5-1438082-5	2LIT-14A464-SD-026			
											30	29							21			18		16											5								5-1438082-2	2LIT-14A464-SD-025			
			43	42			39	37											20	19	18	17		15	14			11	10	9	8	7			4	3	2	1					5-1438082-0	2LIT-14A464-SD-024			
			42																					15	14			11	10	9	8	7				4	3					4-1438082-9	2LIT-14A464-SD-023				
			43	42			39	37											20	19	18	17					11	10	9									2	1				4-1438082-8	2LIT-14A464-SD-022			
			42																								11	10	9														4-1438082-7	2LIT-14A464-SD-021			
			43	42			39	37																			11	10	9														4-1438082-2	2LIT-14A464-SD-020			
	45	43						36	35			31				24						18	17	16		14	12						7	6					2	1				4-1438082-0	2LIT-14A464-SD-019		
			43	42			39	37								23			20	19	18	17		15	14			11	10	9	8	7			4	3	2						3-1438082-8	2LIT-14A464-SD-018			
			42														23							15	14			11	10	9	8	7				4	3						3-1438082-7	2LIT-14A464-SD-017			
			43	42			39	37									23		20	19	18	17	16					11	10	9													3-1438082-6	2LIT-14A464-SD-016			
			42														23											11	10	9														3-1438082-5	2LIT-14A464-SD-015		
	45	43				39	37	36	35			31				24		21		19	18	17	16		14	13	12				9		7	6					2	1				3-1438082-4	2LIT-14A464-SD-014		
	45	43				39	37	36	35		33	31				25	24		21		19	18	17	16		14	13	12				9		7	6					2	1				3-1438082-3	2LIT-14A464-SD-013	
	45	43						36	35			31				24		21		19	18	17	16		14		12						7	6							2	1				3-1438082-2	2LIT-14A464-SD-012
			42																					15	14	13			10	9	8	7				4	3							3-1438082-1	2LIT-14A464-SD-011		
			43	42			39	37											20	19	18	17																									

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22							12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																	
44									35		32														12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																	
									35																										6-1438735-2	2LIT-14A464-SD-084																
			43	42		40	39		37				29					20	18			15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																
45		43							38		36						25	24					18	17	16	14	12			7	6		2	1	5-1438735-0	2LIT-14A464-SD-082																
45		43							38		36						25	24							16	14	12			7	6		2	1	4-1438735-9	2LIT-14A464-SD-081																
45		43							38		36		32	31			25	24		21	19	18	17	16	14	12			7	6			1	4-1438735-8	2LIT-14A464-SD-080																	
45		43							39	38	37	36			31			25	24					18	17	16	14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079														
				42															20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078																
				42															20	18				13	11	10								1	3-1438735-7	2LIT-14A464-SD-077																
45		43							39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9			2	1	3-1438735-6	2LIT-14A464-SD-076															
45		43										38	36			31			25	24		21	20	19	18	17		14	12					2	1	3-1438735-5	2LIT-14A464-SD-075															
			43	42			40	39		37					29							20	18			15	14		11	10	9	8	7		4	3	2	1	3-1438735-3	2LIT-14A464-SD-074												
45		43							39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073														
45		43										38	36			31			25	24		21	20	19	18	17	16	14	12			7			2	1	3-1438735-1	2LIT-14A464-SD-072														
45		43							39	38	37	36			31			25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071														
45		43										38	36			31			25	24		21	20	19			16	14	12			7			2	1	2-1438735-9	2LIT-14A464-SD-070														
45		43							39	38	37	36			31			25	24		21	20	19			16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069														
45		43										38	36			31			25	24			20	19	18	17		14	12						2	1	2-1438735-6	2LIT-14A464-SD-068														
											33															13							6	5			2	1	2-1438735-5	2LIT-14A464-SD-067												
45	44	43	42					40			38	37	36		33	31			24	22	21	20		18	17	16	15				9	8			2	1	2-1438735-4	2LIT-14A464-SD-066														
			43												31		29							18							8					2	1	2-1438735-1	2LIT-14A464-SD-065													
45		43									38		36	35			31			25	24		21				16	14	12			7	6			2	1	2-1438735-0	2LIT-14A464-SD-064													
45		43									39	38	37	36	35			31			25	24					18	17	16	14	13	12		9	7	6		2	1	1-1438735-9	2LIT-14A464-SD-063											
45		43									38		36	35			32	31			25	24		21	19	18	17	16	14	12			7	6				1	1-1438735-8	2LIT-14A464-SD-062												
45		43									38		36	35			31			25	24						16	14	12			7	6			2	1	1-1438735-7	2LIT-14A464-SD-061													
45		43									38		36	35			31			25	24		21	19			16	14	12			7	6			2	1	1-1438735-6	2LIT-14A464-SD-060													
45		43									38		36	35			31			25	24					18	17	16	14	12			7	6			2	1	1-1438735-5	2LIT-14A464-SD-059												
45		43									39	38	37	36	35			31			25	24		21	19	18	17	16	14	13	12		9	7	6		2	1	1-1438735-4	2LIT-14A464-SD-058												
45		43									38		36	35			31			25	24		21	19	18	17	16	14	12			7	6			2	1	1-1438735-3	2LIT-14A464-SD-057													
				42										37									20	18			15	14		11	10	9	8	7		4	3	2	1	1-1438735-2	2LIT-14A464-SD-056											
45		43													36	35		31				24		21	19		16	14	12				7	6				1	1-1438735-1	2LIT-14A464-SD-055												
															35						27																3		1-1438735-0	2LIT-14A464-SD-054												
			43												31		29									18					9	8					2		1438735-9	2LIT-14A464-SD-053												
															35						27										7								1438735-8	2LIT-14A464-SD-052												
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ENGINEERING ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST EDITION.		DWN R. VESTAL 01AUG2003	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK D. STRAUSSER 01AUG2003	NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		APVD D. STRAUSSER 01AUG2003	RESTRICTED TO	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±0.10 5 PLC ±. 4 PLC ±. ANGLES ±°		PRODUCT SPEC		
MATERIAL -		APPLICATION SPEC		
FINISH -		WEIGHT -		
CUSTOMER DRAWING		SCALE 4:1	SHEET 3	OF 5
		REV S		

