

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG M FORISKA 16APR2002 CHK M FORISKA 16APR2002 REV'D A VALASKA 16APR2002	 TE Connectivity	
DIMENSIONS: mm		NAME 24 WAY ARM, PLUG ASSEMBLY WITHOUT SHORTING BARS, CUSTOMER SPEC.		
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±.1 4 PLC ±.1		
MATERIAL - SEE CHART ABOVE		APPLICATION SPEC - FINISH -43* SIZE A1 CASE CODE 00779 DRAWING NO. C=3-1419157-9 RESTRICTED TO - CUSTOMER DRAWING SCALE 3:1 SHEET 2 OF 3 REV BK		

PIN-OUT CHART																							
12	13	14	15	16	17	18	19	20	21									1-1438103-5		KEY "A"			
12			15	16	17	18			21	22	23							1-1438356-2		KEY "D"			
12	13	14	15	16		18	19		21	22	23	24						2-1438095-3		KEY "B"			
12					16	17	18				22	23	24					1-1438103-4		KEY "A"			
	13				16	17	18	19			22	23	24					1438582-3		KEY "E"			
	13	14	15	16	17	18	19	20	21	22	23	24						1-1438356-1		KEY "D"			
12	13		15			18	19				22	23	24					1-1438096-4		KEY "C"			
12	13	14	15			18	19		21	22	23	24						1-1438103-3		KEY "A"			
	13			16	17	18	19	20	21	22	23	24						1-1438356-0		KEY "D"			
12	13	14	15	16		18	19		21	22	23	24						2-1438095-2		KEY "B"			
12	13	14	15	16		18	19		21	22	23	24						1-1438096-3		KEY "C"			
12	13			16		18						24						1-1438096-2		KEY "C"			
12	13		15	16		18	19				22	23	24					1-1438096-1		KEY "C"			
	13			16	17	18	19				22	23	24					1438583-3		KEY "F"			
	13			16			19				22							1438583-2		KEY "F"			
	13	14	15	16	17	18	19	20	21	22	23	24						1438582-2		KEY "E"			
																		1438582-1		KEY "E"			
	13	14	15		17		19	20	21									1-1438103-2		KEY "A"			
12	13	14	15	16		18	19				22	23	24					2-1438095-1		KEY "B"			
12		14		16		18						24						2-1438095-0		KEY "B"			
12	13		15	16		18	19				22	23	24					1-1438095-9		KEY "B"			
	13			16	17	18	19				22	23	24					1-1438103-1		KEY "A"			
12		14		16		18			21			24						1-1438095-8		KEY "B"			
12	13	14	15	16		18	19	21	22	23	24							1-1438095-7		KEY "B"			
12	13	14	15	16	17	18	19	20	21	22	23	24						1-1438103-0		KEY "A"			
	13	14	15		17		19	20	21									2-1438103-0		KEY "A"			
																		1438356-9		KEY "D"			
12			15	16							22	23						1438356-8		KEY "D"			
12			15	16							22	23						1438103-9		KEY "A"			
12		14		16		18						24						1-1438095-6		KEY "B"			
12	13	14	15	16		18	19				22	23	24					1-1438095-5		KEY "B"			
12	13	14		16		18						24						1-1438095-4		KEY "B"			
12			15	16		18			21	22	23							1438356-7		KEY "D"			
12			15	16	17	18			21	22	23							1438356-6		KEY "D"			
12				16		18			21	22	23							1438356-5		KEY "D"			
12			15	16	17	18			21	22	23							1438356-4		KEY "D"			
12			15	16		18			21	22	23							1-1438095-3		KEY "B"			
12			15	16						22	23							1-1438095-2		KEY "B"			
	13				17	18	19	20	21	22	23	24						1438103-8		KEY "A"			
12										22	23							1438356-3		KEY "D"			
											23							1-1438095-1		KEY "B"			
				16		18					23							1-1438096-0		KEY "C"			
				16		18					23							1438096-9		KEY "C"			
					18					22	23							1438096-8		KEY "C"			
	13	14	15	16	17	18	19	20	21	22	23	24						1438096-7		KEY "C"			
				16		18				22	23							1438096-4		KEY "C"			
	13				16		18											1438096-3		KEY "C"			
						18												1438096-2		KEY "C"			
					17					22	23							1-1438095-0		KEY "B"			
				16	17					22	23							1438095-9		KEY "B"			
				17						22								1438095-8		KEY "B"			
				16	17					22								1438095-7		KEY "B"			
12		14		16		18			21			24						1438095-6		KEY "B"			
										22	23							1438095-5		KEY "B"			
12	13		15	16		18	19		21	22	23	24						1438095-3		KEY "B"			
12	13		15	16		18	19			22	23	24						1438095-4		KEY "B"			
										22								1438095-2		KEY "B"			
12			15	16						22	23							1438356-2		KEY "D"			
12			15	16		18			21	22	23							1438103-7		KEY "A"			
12			15	16						22	23							1438103-6		KEY "A"			
	13				17	18	19			22	23	24						1438103-5		KEY "A"			
12	13	14	15	16		18	19		21	22	23	24						1438103-4		KEY "A"			
	13						19			22								1438096-5		KEY "C"			
	13																	1438103-3		KEY "A"			
			16			19				22								1438103-2		KEY "A"			
					17													7-1419157-7		KEY "A"			
	13	14	15		17	18	19	20	21	22	23	24						1438096-6		KEY "C"			
																		1438103-1		KEY "A"			
																		1438356-1		KEY "D"			
																		4-1419171-1		KEY "C"			
																		4-1419171-0		KEY "B"			
																		3-1419171-9		KEY "A"			
12	13	14	15	16	17	18	19	20	21	22	23	24						ASSEMBLY PART NUMBER		PLUG KEYING OPTION			

	CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS
	BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS

4805 (3/11)