

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20




LOC DIST

REVISIONS

© COPYRIGHT 20

ALL RIGHTS RESERVED.

P	LTR	DESCRIPTION	DATE	DWN	APVD
	NC	NEW RELEASE PER E.O. PI5120	10-7-96	JN	RDR
	A	REVISED PER E.O. PI5192	1-7-97	JN	RDR
	AI	REVISED PER ECO-13-019591	11-12-13	JA	IG



4. MATERIAL: SHELL: PLASTIC; SEAL: RUBBER.

3 OVERALL DIMENSION DOES NOT INCLUDE RUBBER GROMMET.

2. THIS CONNECTOR SERIES WILL ACCOMMODATE THE FOLLOWING WIRE INSULATION DIAMETERS.

CONTACT SIZE	MINIMUM O.D.	MAXIMUM O.D.	WIRE GAGE RANGE
16	.100 (2.54)	.150 (3.81)	18 THRU 14

1. PERTINENT INFORMATION:
 18 & 16 AWG POWER CONTACTS SOC. # 0460-202-16141.
 16 & 14 AWG POWER CONTACTS SOC. # 0460-215-16141.

NOTES: UNLESS OTHERWISE SPECIFIED

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES [mm]	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±.025 [.64]
	4 PLC ±
	ANGLES ±0°30'0"
MATERIAL	FINISH

DWN	12NOV2013
CHK	JAIME C. APOSTOL
APVD	ILINA GRANTCHAROVA
NAME	ILINA GRANTCHAROVA
PRODUCT SPEC	
APPLICATION SPEC	
WEIGHT	
Customer Drawing	

		TE Connectivity	
RECEPTACLE CONNECTOR HD10 SERIES ARR. 9-1939 COLOR: BLACK			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	4AFU8	HD14-9-1939P	
SCALE		SHEET	OF
NONE		1	1
		REV	AI