

1 0 1 2 4 3 5 2 - 1 0 X L F


LEAD-FREE DESIGNATION
ONLY WITH APPLICABLE
PLATING CODES

SEE NOTE 2

MODULE DESCRIPTION	LETTER DESIGNATION REPRESENTED IN DASH NUMBER										BASE MODULE
LEFT POLARIZING GUIDANCE MODULE (SEE SHEET 3)	N	J (NO KEY)	A	B	C	D	E	F	G	H	
	NO KEY NO GUIDE PIN										
RIGHT POLARIZING GUIDANCE MODULE (SEE SHEET 2)	Z	Y (NO KEY)	P	Q	R	S	T	U	V	W	
	NO KEY NO GUIDE PIN										







Copyright FCI.

spec ref		---		dr		A P Sawanth		2013/02/28		projection				size		A2		scale		8:1							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Jackie Chen		2015/02/06		chr		-		ecn no		ELX-DG-20165-1											
ASME Y14.5M				appr		Collins Lu		2015/02/06		product family		AirMax VS2		rel level		Released											
surface						linear		<table><tr><td>0.X</td><td>±.3</td></tr><tr><td>0.XX</td><td>±.15</td></tr><tr><td>0.XXX</td><td>±.050</td></tr></table>		0.X	±.3	0.XX	±.15	0.XXX	±.050			title		AIRMAX VS2 R.A. RECEPTACLE		dwg no		10124352		rev	
		0.X	±.3																								
		0.XX	±.15																								
0.XXX	±.050																										
angular		0°		±°																							
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 4																			

PDS: Rev :C





STATUS:Released

Printed: Feb 06, 2015



spec ref			---		dr		A P Sawanth		2013/02/28		projection				size		A2		scale		6:1	
tolerance std			ASME Y14.5M		eng		Jackie Chen		2015/02/06		chr		-		ecn no		ELX-DG-2016-1					
TOLERANCES UNLESS OTHERWISE SPECIFIED					appr		Collins Lu		2015/02/06		product family		AirMax VS2		rel level		Released					
surface					linear		0.X		±.3		FCI		file		AIRMAX VS2 R.A. RECEPTACLE		dwg no		10124352		rev	
							0.XX		±.15		www.fci.com		cat. no.		-		Product-		Customer Drw		sheet 2 of 4	
							0.XXX		±.050													
					angular		0°		±.050													

LEFT POLARIZATION WITH GUIDE



spec ref	---	dr	A P Sawanth	2013/02/28	projection	MM	size	A2	scale	8:1
tolerance std	ASME Y14.5M	eng	Jackie Chen	2015/02/06	chr	-	ecn no	ELX-DG-20165-1	rel level	Released
surface	✓	appr	Collins Lu	2015/02/06	product family	AIRMAX VS2	cat. no.	10124352	rev	C
TOLERANCES UNLESS OTHERWISE SPECIFIED		linear		0.X	±.3	title				
				0.XX	±.15	AIRMAX VS2 R.A. RECEPTACLE				
				0.XXX	±.050	ASS'Y, 3 PAIR, 54 POS, 6 IMLA, 20MM, W/GUIDE/KEY				
		angular		0°	±°	Product - Customer Drw				

PDS: Rev :C

STATUS:Released

Printed: Feb 06, 2015

