

Copyright FCI.

spec ref	-	dr	Hai-Ling Liu	2015/05/25	projection	MM	size	A2	scale	1:1
tolerance std	ISO 406 ISO 1101	eng	Sunny2 Liu	2015/09/10			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Terris Liu	2015/09/10						
surface	ISO 1302	appr	Pai-Ming Zheng	2015/09/10	product family		dwg no	10135448	rev	A
	linear	0.X	±0.50		title		HPCE VT RECEPTACLE		Product - Customer Drw	
		0.XX	±0.25		24P WITHOUT PEGS		sheet 1 of 4			
	angular	0°	±2°		cat. no.					



PDS: Rev :A

STATUS:Released

Printed: Sep 10, 2015

CONTACT TYPE	TOP LAYER DESCRIPTION	TABLE 1 (HPCE / SOLDER TAILS) PLATED THROUGH-HOLE REQUIREMENTS				
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	TIN THICKNESS	FINISHED HOLE DIAMETER
POWER & SIGNAL	TIN-LEAD	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	0.005 - 0.015	--	0.94 - 1.10
	IMMERSION TIN	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	--	0.9 - 1.5um	0.94 - 1.10
	COPPER	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	--	--	0.94 - 1.10



CONTACT TYPE	TOP LAYER DESCRIPTION	TABLE 2 (HPCE / PRESS-FIT TAILS) PLATED THROUGH-HOLE REQUIREMENTS				
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	TIN THICKNESS	FINISHED HOLE DIAMETER
POWER & SIGNAL	TIN-LEAD	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	0.005 - 0.015	--	0.65 - 0.80
	IMMERSION TIN	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	0.9 - 1.5um	0.70 - 0.80
	COPPER	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	--	0.70 - 0.80



RECOMMENDED PCB LAYOUT

Copyright FCI.

dr	Hai-Ling Liu	2015/05/25	projection	MM	size	A2	scale	1:1
eng	Sunny2 Liu	2015/09/10			ecn no	-	rel level	Released
chr	Terris Liu	2015/09/10						
appr	Pei-Ming Zheng	2015/09/10	product family					
			title HPCE VT RECEPTACLE 24P WITHOUT PEGS			dwg no 10135448		rev A
www.fci.com			cat. no.		Product - Customer Drw		sheet 2 of 4	




RECOMMENDED MATING BOARD FOOT PRINT

Copyright FCI.

dr	Hai-Ling Liu	2015/05/25	projection	MM	size	A2	scale	1:1
eng	Sunny2 Liu	2015/09/10			ecn no	-	rel level	Released
chr	Terris Liu	2015/09/10						
appr	Pei-Ming Zheng	2015/09/10	product family					
			title HPCE VT RECEPTACLE 24P WITHOUT PEGS			dwg no 10135448		rev A
www.fci.com			cat. no.		Product - Customer Drw		sheet 3 of 4	



HPCE PART NUMBER (TABLE 3)

PART NUMBER	TAIL TYPE	DIM "A" TYPICAL TAIL LENGTH	DIM "B" RECOMMENDED BOARD THICKNESS
10135448-001LF	SOLDER	3.17 ±0.25	2.36±0.13
10135448-002LF	PRESS-FIT	3.17 ±0.25	1.57 MIN



NOTES:

1. CONNECTOR MATERIALS:
 - HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT
 - CONTACTS: HIGH PERFORMANCE COPPER ALLOY.
2. CONTACT FINISH REF. GS-12-604 SECTION 5.2.
3. PRODUCT SPECIFICATION: GS-12-604.
4. APPLICATION SPECIFICATION: GS-20-128.
5. PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS FCI SPECIFICATION:GS-24-007.
6. PACKAGING MEETS FCI SPECIFICATION GS-14-937.
7. ALL HOLE SIZES ARE FINISHED HOLE SIZES.
8. PRESS FIT APPLICATION TOOL DRAWING : 10119453.

dr	Hai-Ling Liu	2015/05/25	projection 	size MM A2	scale 1:1
eng	Sunny2 Liu	2015/09/10			
chr	Terris Liu	2015/09/10			
appr	Pai-Ming Zheng	2015/09/10			
product family			ecn no	rel level	Released
 title HPCE VT RECEPTACLE 24P WITHOUT PEGS			dwg no 10135448	rev A	www.fci.com cat. no.
Product - Customer Drw			sheet 4 of 4		