

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	DI	REVISED PER ECO-17-018044	22NOV2017	R.L	H.L

DIRECTION OFF TOP OF REEL

1.75

LOW HALOGEN

DETAIL A

(SCALE 4-1)

LOCATION BOSS

DETAIL B

DETAIL A

WINDING THE COVER TAPE AROUND THE OUTER PERIPHERY IN A TURN.

Ø 330

10 HOLES

300mm WITHOUT CHARGE APPROX

WITH PRODUCT CHARGE

300mm WITHOUT CHARGE APPROX

6.8

5

0.25

7.75

WITH STEEL COVER

STEEL COVER

NOTES:

1

0.00076 MIN GOLD PLATING. (30u INCHES GOLD PLATING)

2

0.00020 MIN GOLD PLATING. (Au FLASH PLATING)

3

0.00038 MIN GOLD PLATING. (15u INCHES GOLD PLATING)

DI 4

0.000076 MIN GOLD PLATING (3u INCHES GOLD PLATING)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.3

1 PLC ±0.25

2 PLC ±0.2

3 PLC ±0.2

4 PLC ±3°

MATERIAL -

FINISH -

DWN FLORENCE TAN 14SEP04

CHK ERIC TNG

APVD SE LEONG

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

NAME REC ASSY'Y 9H TYPE (0.5 BOSS L) FOR FH 0.8mm B-T-B CONN ON TAPING

SIZE A3

CAGE CODE 00779

DRAWING NO C-5179180

RESTRICTED TO -

SCALE 2:1

SHEET 1 OF 3

REV DI

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -




ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1 OF 3			

DIRECTION OFF TOP OF REEL


1.75





LOW HALOGEN

DETAIL A
(SCALE 4-1)

DETAIL B



WINDING THE COVER TAPE
AROUND THE OUTER
PERIPHERY IN A TURN.




DETAIL B

POLYIMIDE COVER

WITH POLYIMIDE COVER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±0.3
1 PLC ±0.3
2 PLC ±0.25
3 PLC ±0.2
4 PLC ±0.2
ANGLES ±3°

MATERIAL

FINISH

DWN FLORENCE TAN 14SEP04

CHK ERIC TNG

APVD SEIFONG

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE


TE Connectivity

NAME
REC ASSY'Y 9H TYPE
(0.5 BOSS L) FOR FH 0.8mm B-T-B CONN
ON TAPING

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-5179180	-

SCALE	SHEET	OF	REV
2:1	2	3	D1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1 OF 3			



84.20	85.80	79.20	200
76.20	77.80	71.20	180
68.20	69.80	63.20	160
60.20	61.80	55.20	140
52.20	53.80	47.20	120
44.20	45.80	39.20	100
36.20	37.80	31.20	80
28.20	29.80	23.20	60
20.20	21.80	15.20	40
CC	BB	AA	POS.

NOTES;
1 MATERIAL: HOUSING: L.C.P. (HIGH TEMP. THERMOPLASTIC)
UL 94V-0, NATURAL.
CONTACT: BERYLIUM COPPER.
2 FINISH: CONTACT AREA: 0.0002 MIN GOLD ON
0.0013 MIN ALL OVER NICKEL.
SOLDERING AREA: 0.002 MIN MATTE-TIN
3. CONN STACK HEIGHT COMBINE OF PLUG "Y" H VS REC "X" H.
STACK HEIGHT = Y + X - 5
4 MANUFACTURE PLANT LOCATION MARK. QINGDAO:
5 CONNECTOR WITH BLACK HOUSING AND POLYIMIDE COVER

THIS DRAWING IS A CONTROLLED DOCUMENT.
DWN FLORENCE TAN 14SEP04
CHK ERIC TNG
APVD SEI LEONG
PRODUCT SPEC
APPLICATION SPEC
WEIGHT
CUSTOMER DRAWING

DIMENSIONS:
mm
TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±0.3
1 PLC ±0.25
2 PLC ±0.2
3 PLC ±0.2
4 PLC ANGLES ±3°
FINISH
MATERIAL

TE Connectivity
NAME REC ASSY'Y 9H TYPE
(0.5 BOSS L) FOR FH 0.8mm B-T-B CONN
ON TAPING
SIZE A3 CAGE CODE 00779 DRAWING NO C-5179180 RESTRICTED TO
SCALE 2:1 SHEET 3 OF 3 REV D1