







Copyright FCI.

PRODUCT NUMBER SEE SHEET 2




spec ref				dr	Vicking Liu	2015/12/20	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicking Liu	2016/01/05			ecn no -			
				chr	Fancy Zhang	2016/01/05			rel level Released			
				appr	Pei-Ming Zheng	2016/01/05						
				product family				PowerBlade+				
surface	linear	0.X	±0.50		title 3ACP VT PF RECEPTACLE				dwg no	10106123-3000001		rev A
		0.XX	±0.25									
		0.XXX	±0.10									
	ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw			sheet 1 of 3	



PRODUCT NO.	ROWS	HIGH POWER				
		E1	P3	P2	P1	E2
10106123-3000001LF	D C B A		HG	HG	HG	




CODE	DESCRIPTION
HG	STD HIGH POWER CONTACT (3.43)



dr	Vicking Liu	2015/12/20	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2
eng	Vicking Liu	2016/01/05			ecn no	-		
chr	Fancy Zhang	2016/01/05			rel level	Released		
appr	Pei-Ming Zheng	2016/01/05	product family		PowerBlade+			
	title	3ACP VT PF RECEPTACLE			dwg no	10106123-3000001		rev
www.fci.com	cat. no.	Product - Customer Drw				sheet 2 of 3		A

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZING THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Vicking Liu	2015/12/20	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	1:1			
eng	Vicking Liu	2016/01/05			ecn no				-		
chr	Fancy Zhang	2016/01/05			rel level				Released		
appr	Pei-Ming Zheng	2016/01/05	product family			PowerBlade+					
<div></div>		title			3ACP			dwg no	10106123-3000001	rev	A
VT PF RECEPTACLE		cat. no.			Product - Customer Drw				sheet 3 of 3		



Copyright FCI.