

Marking Tapes



Colors and combinations meet specific industry and OSHA 29 CFR §1910.144 warning requirements



Mark specific areas and promote safety by identifying potential hazard areas with visible tapes.

- 0.006" vinyl adheres to floors, walls, piping, posts, beams, handrails, stairways, machinery, and equipment
- Waterproof, wear-resistant, minor resistance to acids, oils, grease, caustics, alkalis, and most solvents
- Permanent self-adhesive back



| Color/Combination | Code | Application |
|--|------|--|
| Solid Colors | | |
| White | WHT | General Facility |
| Gray | GRY | General Facility |
| Brown | BRN | General Facility |
| Black | BLK | General Facility |
| Red | RED | Fire Protection Equipment & Danger Hazards |
| Orange | ORN | Danger Points on Machines |
| Yellow | YEL | Physical Hazards |
| Green | GRN | First Aid & Safety Equipment |
| Blue | BLU | Machinery being Worked On |
| Purple | PUR | X-ray & Radiation Hazards |
| Checkerboard and Stripe Pattern | | |
| Black/Yellow | BY | General, Physical Hazards |
| Red/White | RW | Fire Protection & Equipment |
| Black/White | BW | Housekeeping, Aisles, Traffic, & Passageways |
| Magenta/Yellow | MY | Radiation Areas |
| Green/White | GW | Safety & First Aid |
| Blue/White | BLW | Defective Equipment |
| Orange/White | OW | Traffic and Caution |

To Order: Add color code after part number.

Example: Part No. PFM2X36 + Color Code WHT = PFM2X36WHT

| Part No. | Size | UOM | Part No. | Size | UOM |
|-----------------------------|--------------|------|-----------------------------|--------------|------|
| Solid Colors | | | Solid Colors | | |
| PFM2X36 | 2" x 108-ft. | Roll | PFM3X36 | 3" x 108-ft. | Roll |
| PFM2X60 | 2" x 180-ft. | Roll | PFM3X60 | 3" x 180-ft. | Roll |
| Checkerboard Pattern | | | Checkerboard Pattern | | |
| PFMC2X18 | 2" x 54-ft. | Roll | PFMC3X18 | 3" x 54-ft. | Roll |
| Stripe Pattern | | | Stripe Pattern | | |
| PFM2X18 | 2" x 54-ft. | Roll | PFM3X18 | 3" x 54-ft. | Roll |
| PFM2X36 | 2" x 108-ft. | Roll | PFM3X36 | 3" x 108-ft. | Roll |

Reflective Tapes



- Safety-grade with 'bounce-back' reflectivity
- Improved daytime, low-light and night time visibility
- 0.0055" thick urethane tape
- Permanent adhesive with peel-off liner
- Suitable for outdoor use on poles, barricades, fences, buildings, private roads, and off-road vehicles

Available colors with color code:

| Color | Code |
|----------------------|------|
| Solid Colors | |
| Black | BLK |
| Blue | BLU |
| Green | GRN |
| Orange | ORN |
| Red | RED |
| White | WHT |
| Yellow | YEL |
| Stripe Colors | |
| Black/White | BW |
| Black/Yellow | BY |
| Orange/White | OW |
| Red/White | RW |

To Order: Add color code after part number.

Example: Part No. PFMR2X15 + Color Code BW = PFMR2X15BW

| Part No. | Size | UOM |
|----------|-------------|------|
| PFMR2X15 | 2" x 15-ft. | Roll |
| PFMR2X30 | 2" x 30-ft. | Roll |
| PFMR3X15 | 3" x 15-ft. | Roll |

Message Marking Tapes

Use marking tape with specific message to point out potential hazard areas.

- Bold contrasting message printed repeatedly
- 6-mil vinyl adheres to floors, walls, and equipment
- Clear overlaminate protective film resists dirt, light chemicals and light abrasions
- Permanent, self-adhesive back
- 2" x 54-ft. rolls

UOM

Roll



PFM0114



PFM0115



PFM0116

Non-Slip Floor Marking Tapes



Use non-slip tapes to mark and identify aisles, pathways, and designated locations in your facility.

Sub-surface printed 0.004" vinyl tapes are overlaminated with a 0.017" clear, protective pebble-textured tread. The dimpled non-slip surface is ideal for pedestrian traffic areas.

- Dual-layer, color vinyl and clear textured vinyl construction
- Strong acrylic-based adhesive peel-off back liner
- Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F
- Available in solid colors or with messages

Color is sub-surface printed

Overlaminated non-slip vinyl pebble-textured surface

To Order Solid Color Tapes:

Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.

Example: Part No. PFMT2X100 + Color Code YEL = PFMT2X100YEL

| Part No. | Size | UOM |
|-----------|---------------|------|
| PFMT2X100 | 2"W x 100-ft. | Roll |
| PFMT3X100 | 3"W x 100-ft. | Roll |

Message Tapes

| Size | UOM |
|--------------|------|
| 3"W x 50-ft. | Roll |



PFM0598



PFM0600



PFM0599



PFM0597



PFM0601

Non-Slip Floor Marking Shapes


Mark pallets, storage, and walkways in your facility – ideal for 5S programs.

- Self-adhesive 0.004" vinyl
- Protective non-slip, pebble-textured overlamine
- Strong acrylic-based adhesive peel-off back liner
- Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F




Color is sub-surface printed


Overlaminated non-slip vinyl pebble-textured surface



Corner



45° Corner



T-Corner



Quad Corner




Footprint



Arrow



Square



Circle, Dot



Triangle

To Order: Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.

Example: Part No. PFMTS09 + Color Code GRN = PFMTS09GRN

| Part No. | Size | UOM |
|--------------------|-----------|------|
| Corner | | |
| PFMTS09 | 6" x 6" | Each |
| PFMTS10 | 12" x 12" | Each |
| 45° Corner | | |
| PFMTS20 | 6" | Each |
| PFMTS19 | 12" | Each |
| T-Corner | | |
| PFMTS11 | 6" x 9" | Each |
| PFMTS12 | 8" x 12" | Each |
| Quad Corner | | |
| PFMTS17 | 9" x 9" | Each |
| PFMTS18 | 12" x 12" | Each |
| Part No. | Length | UOM |

Footprints

| | | |
|---------|-----|------|
| PFMTS01 | 6" | Pair |
| PFMTS02 | 12" | Pair |

| Part No. | Size | UOM |
|--------------------|---------|------|
| Arrow | | |
| PFMTS14 | 3" | Each |
| PFMTS15 | 6" | Each |
| PFMTS16 | 12" | Each |
| Square | | |
| PFMTS05 | 3" x 3" | Each |
| PFMTS06 | 6" x 6" | Each |
| Circle, Dot | | |
| PFMTS03 | 3" dia | Each |
| PFMTS04 | 6" dia | Each |
| Triangle | | |
| PFMTS07 | 3" | Each |
| PFMTS08 | 6" | Each |

Floor Marking Shapes

Mark directional traffic paths or hazardous areas on floors, stairways, and walls.

- 0.005" vinyl
- Individually die-cut shapes
- Aggressive, permanent, self-adhesive back
- Peel-off liner

Available colors with color code:

Red – RED, Blue – BLU, Green – GRN, Black – BLK, Yellow – YEL, Orange – ORN, White – WHT


To Order: Add color code after part number.

Example: Part No. PFMD2 + Color Code BLU = PFMD2BLU

| Size* | Std. Pkg. Qty. | UOM |
|-------|----------------|------|
| 2" | 250 | Roll |
| 3" | 250 | Roll |
| 4" | 100 | Roll |
| 6" | 5 Pair | Pkg. |
| 12" | 5 Pair | Pkg. |




Dots




*Size for: Dot by diameter

Arrows



*Size for: Arrow measured by width of point

Footprints



*Size for: Footprint is 6" or 12" length

Glow-in-the-Dark Tapes & Shapes






Visibility and safety in emergency blackout situations

- Photoluminescent tapes and shapes store energy from any light source
- 10-hour glow rating
- 0.010" polyester with laminated gloss surface
- Permanent adhesive backing with peel-off liner



Glow-in-the-Dark Tapes


| Solid Color | | Stripe Pattern | | Arrow Pattern | | Size |
|-------------|------|----------------|------|---------------|------|-------------|
| Part No. | UOM | Part No. | UOM | Part No. | UOM | |
| PFM0243 | Roll | PFM0246 | Roll | PFM0249 | Roll | 2" x 15-ft. |
| PFM0244 | Roll | PFM0247 | Roll | PFM0250 | Roll | 2" x 30-ft. |
| PFM0245 | Roll | PFM0248 | Roll | PFM0251 | Roll | 3" x 15-ft. |




Glow-in-the-Dark Shapes

| Size | Std. Pkg. Qty. | UOM |
|------|----------------|------|
| 2" | 50 | Roll |
| 3" | 50 | Roll |
| 6" | 1 Pair | Pkg. |
| 12" | 1 Pair | Pkg. |

Dots



Arrows



Footprints




Non-Skid Floor Tapes

Create a high-traction surface to prevent slips, trips, and falls.

- Durable surface provides good grip, wear resistance, and water resistance
- Suitable for indoor and outdoor environments
- Resists sliding, buckling, wrinkling, and peeling
- Black tape is 60-grit aluminum oxide compound layer fused onto thick PVC base; colored and striped tapes are 46-grit
- High-tack acrylic adhesive back
- Peel-off liner



OSHA 29 CFR
\$1910.24 (f)



| Part No. | Size | UOM |
|--------------------|-------------|------|
| <i>Solid Black</i> | | |
| PFM0090 | 1" x 60-ft. | Roll |
| PFM0092 | 2" x 60-ft. | Roll |
| PFM0094 | 3" x 60-ft. | Roll |
| PFM0095 | 4" x 60-ft. | Roll |
| PFM0097 | 6" x 60-ft. | Roll |



| Part No. | Size | UOM |
|-----------------------------|-------------|------|
| <i>Solid Yellow</i> | | |
| PFM0091 | 1" x 60-ft. | Roll |
| PFM0093 | 2" x 60-ft. | Roll |
| PFM0096 | 4" x 60-ft. | Roll |
| <i>Striped Black/Yellow</i> | | |
| PFM0103 | 2" x 60-ft. | Roll |
| PFM0105 | 4" x 60-ft. | Roll |



- Muted yellow appearance masks dirt and grime

| Part No. | Size | UOM |
|--|-------------|------|
| <i>Muted Yellow w/ Black Particles</i> | | |
| PFM0107 | 2" x 60-ft. | Roll |
| PFM0108 | 4" x 60-ft. | Roll |

Non-Skid Floor Signs

High-traction, anti-skid, clear grit surface. 6" x 24". Sub-surface printed vinyl floor signs. High-tack, acrylic adhesive back. Peel-off liner.

| UOM |
|------|
| Each |



PFM0040



PFM0041



PFM0042



PFM0046



PFM0045



PFM0043



PFM0047



PFM0044

Non-Skid Floor Shape Tapes

Get a finished look to your anti-skid tapes in pre-cut shapes.

- Rounded corners to prevent corners from lifting
- Aggressive 60-grit aluminum oxide compound layer fused onto a thick PVC base
- Peel-off liner with high-tack acrylic adhesive back
- Suitable for indoor and outdoor environments, water resistant



Wide Strip

Square

Cleat

Cleat w/ Reflective Yellow

Cleat w/ Glow

| Part No. | Description | Size | UOM |
|----------|-----------------------|-----------------|------|
| PFM0110 | Square | 5 1/2" x 5 1/2" | Each |
| PFM0109 | Wide Strip | 3" x 24" | Each |
| PFM0111 | Cleat | 6" x 24" | Each |
| PFM0112 | Cleat w/ Refl. Yellow | 6" x 24" | Each |
| PFM0113 | Cleat w/ Glow | 6" x 24" | Each |

High Performance Marking Tapes

Heavy-duty composite tape outperforms standard floor marking tapes.

Printed 0.002" polyester tape with 2-mil gloss overlaminate provides superior durability for industrial facility and high plant traffic.

- High-gloss surface resists marks and smudges
- Resistant to abrasions, water, chemicals and heat
- High tack, acrylic adhesive back minimizes peel or lift
- Applies to clean, non-coated, smooth or rough surfaces, including concrete
- Low-profile reduces tears and scratches from skids and pallet jacks
- Removes easily without leaving residue or damage to the floor
- Minimum application temperature: 50°F
- Available in solid colors or with messages



To Order Solid Color Tapes: Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.
Example: Part No. PFMH2X100 + Color Code BLK = PFMH2X100BLK

| Part No. | Size | UOM |
|-----------|---------------|------|
| PFMH2X100 | 2"W x 100-ft. | Roll |
| PFMH3X100 | 3"W x 100-ft. | Roll |

Message Tapes

| Size | UOM |
|--------------|------|
| 3"W x 50-ft. | Roll |



PFM0268



PFM0270



PFM0269



PFM0267



PFM0266



PFM0271

Floor Label Frame System

Place and protect message, barcode and other identification on the floor in a sturdy frame system.

Metal frame mounts directly to the floor with four concrete screws (included) and contains a clear protective cover to protect your label (not included) underneath. Beveled edges prevent damage from rollover of pallet jacks and forklift vehicles.



Small size:

- 8 1/2" x 5 1/2" x 1/8" all-aluminum oval frame
- 3 1/2" x 5" x 0.063" clear visible protective polycarbonate cover

Large size:

- 12" x 7 1/2" x 1/8" all-aluminum oval frame
- 5" x 7" x 0.063" clear visible protective polycarbonate cover

| Small Part No. | Large Part No. | Std. Pkg. Qty. | UOM |
|----------------|----------------|----------------|------|
| PBB0085 | PBB0086 | Each | Each |
| PBB0081 | PFM0001 | 10 | Pkg. |
| PBB0083 | PFM0002 | 25 | Pkg. |
| PBB0084 | PFM0003 | 50 | Pkg. |
| PBB0082 | PFM0004 | 100 | Pkg. |

Textured Marking Tapes

Low-profile grip vinyl tapes are ideal for indoor/outdoor and wet or dry environments.

- Reinforced vinyl with weather-proof adhesive system
- Slip-resistant, mild abrasive surface
- Install on smooth, clean and dry surfaces
- Low level reflectivity
- 3"W x 108-ft. long rolls
- Service temperature range: 0° to 150°F



To Order: Add color code after part number:

Red – RED, Blue – BLU, Yellow – YEL, White – WHT, Green – GRN.

Example: Part No. PFMT3X36 + Color Code YEL = PFMT3X36YEL

| Part No. | UOM |
|----------|------|
| PFMT3X36 | Roll |

Non-Slip Shape Floor Signs

Grab attention with non-slip floor message signs.

- Bold colors and graphics in unique shapes
- Self-adhesive vinyl floor signs are sub-surface printed
- Overlaminated with pebble-textured, non-slip layer
- Can withstand heavy foot traffic
- Permanent adhesive back with peel-off liner
- Signs adhere to smooth, clean, and dry surface

Diamond



17" PFM0054



17" PFM0055



17" PFM0056



17" PFM0057



17" PFM0058



17" PFM0059



17" PFM0060



17" PFM0062



17" PFM0061

Triangle



17" PFM0071



17" PFM0074



17" PFM0072



17" PFM0073



17" PFM0075



17" PFM0076

Pavement-Print Signs



Place message and graphic signs outdoors on pavement.

- Adheres to asphalt, concrete and step-stones
- Conforms to rough, untreated surfaces like stone and cement
- High-performance adhesive back, foil-base material
- Non-laminate surface contains embedded glass beads for a non-slip texture - meeting NFSI and ASTM D2047 specifications
- Withstands normal to heavy walking foot traffic and other abrasions
- Apply to swept, clean, dry surface
- Application temperature range: 50° to 100°F
- For short- to long-term applications
- Removes easily, usually without any residues



17" PFM0083



17" PFM0082



17" PFM0078



17" PFM0088



17" PFM0080



17" PFM0081



17" PFM0085



17" PFM0079



17" PFM0087



17" PFM0077



17" PFM0089



17" PFM0086



17" PFM0084

Non-Slip Floor Signs

Non-slip, pebble-textured, clear surface withstands heavy pedestrian traffic. Image is sub-surface printed. Permanent, self-adhesive vinyl with peel-off liner.

| Description | UOM |
|---------------------------|------|
| Round-Style | Each |
| Round-Style Glow Adhesive | Each |
| Mat-Style | Each |
| Step-Style | Each |



Round-Style



17" PFM0009



17" PFM0029



17" PFM0033



17" PFM0030



17" PFM0016



17" PFM0011



17" PFM0008



17" PFM0031



17" PFM0020



17" PFM0026



17" PFM0022



17" PFM0027



17" PFM0017



17" PFM0018



17" PFM0023



17" PFM0034



17" PFM0010



17" PFM0028



17" PFM0015



17" PFM0019



17" PFM0013



17" PFM0025



17" PFM0021



17" PFM0036



17" PFM0012



17" PFM0032



17" PFM0014



17" PFM0037



17" PFM0024



17" PFM0035

Mat-style



20" x 14" PFM0063



20" x 14" PFM0069



20" x 14" PFM0064



20" x 14" PFM0065



20" x 14" PFM0067



20" x 14" PFM0068

Step-Style



20" x 14" PFM0066



20" x 14" PFM0070



6" x 24" PFM0048



6" x 24" PFM0053



6" x 24" PFM0051



6" x 24" PFM0050



6" x 24" PFM0052



6" x 24" PFM0049