








PRODUCT NUMBER
85832-XYX
85832-XYLX



mat'l code				--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lir	ecr no.	dr	date	linear	0. X ±0.3		COPY			title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT			
T	V06-0569	DCH	2006-06-12		0. XX ±0.13								
U	DG09-0256	TER	2009-08-19		. XXX ±.051								
-	-	-	-	angles	0° ±2°								
N	V04-0559	HTB	06/01/04	dr	T.BRUNGARD 11/19/99				product family		METRAL		code
P	V04-1059	HTB	10/25/04	enrg	M.STRAWER 11/19/99				size	dwg no		213	
R	V04-1100	DAI	01/20/05	chr	M.STRAWER 11/19/99		scale		A		85832		sheet
S	V05-0235	LP	3/30/05	appd	M.STRAWER 02/29/00		2:1						1 of 8
sheet index		revision		U	U	U	U	U	U				
sheet		sheet		1	2	3	4	5	6	7	8		





A

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X30	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X30LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X31	E	1	1	1	1	1	1	1	1	1	1
	D	3	3	3	3	3	3	3	3	3	3
85832-X31LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

1 | 2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X32	E	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1
85832-X32LF	C	2	2	2	2	2	2	2	2	2	2
	B	1	1	1	1	1	1	1	1	1	1
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X33	E	6	6	6	6	6	6	6	6	6	6
	D	6	6	6	6	6	6	6	6	6	6
85832-X33LF	C	6	6	6	6	6	6	6	6	6	6
	B	5	5	5	5	5	5	5	5	5	5
	A	5	5	5	5	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X34	E	21	21	21	21	21	21	21	21	21	21
	D	21	21	21	21	21	21	21	21	21	21
85832-X34LF	C	21	21	21	21	21	21	21	21	21	21
	B	12	12	12	12	12	12	12	12	12	12
	A	12	12	12	12	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X35	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X35LF	C	4	4	4	4	4	4	4	4	4	4
	B	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19

3 |

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X36	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
85832-X36LF	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	59	59	59	59	59	59	59	59	59	59

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X37	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
85832-X37LF	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X38	E	60	60	60	60	60	60	60	60	60	60
	D	61	61	61	61	61	61	61	61	61	61
85832-X38LF	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X39	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X39LF	C	61	61	61	61	61	61	61	61	61	61
	B	61	61	61	61	61	61	61	61	61	61
	A	61	61	61	61	61	61	61	61	61	61

4

A

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ	
lfr	ecr no.	dr	date	linear	0.X ±0.3	COPY		www.fcjconnect.com	
U				angles	0.XX ±0.13	projection		title	
					.XXX ±.051			METRAL SIGNAL HEADER	
				dr	0° ±2°			2 MOD, 5 ROW PRESS-FIT	
				enr	T.BRUNGARD 11/19/99	MM		product family	
				chr	M.STRAWSE 11/19/99	scale		METRAL	
				appd	M.STRAWSE 02/29/00	1:1		code	
sheet	revision							213	
index	sheet							sheet	
								5	

B

1 | 2

Pro/E

3 |

cage code 22526

4



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X40	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
85832-X40LF	C	60	60	60	60	60	60	60	60	60	60
	B	62	62	62	62	62	62	62	62	62	62
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X41	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X41LF	C	62	62	62	62	62	62	62	62	62	62
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X42	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X42LF	C	61	61	61	61	61	61	61	61	61	61
	B	63	63	63	63	63	63	63	63	63	63
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X43	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
85832-X43LF	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X44	E	62	62	62	62	62	62	62	62	62	62
	D	62	62	62	62	62	62	62	62	62	62
85832-X44LF	C	62	62	62	62	62	62	62	62	62	62
	B	62	62	62	62	62	62	62	62	62	62
	A	62	62	62	62	62	62	62	62	62	62

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X45	E	63	63	63	63	63	63	63	63	63	63
	D	63	63	63	63	63	63	63	63	63	63
85832-X45LF	C	63	63	63	63	63	63	63	63	63	63
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X46	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
85832-X46LF	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	40	40	40	40	40	40	40	40	40	40

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X47	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
85832-X47LF	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X48	E	25	25	25	25	25	25	25	25	25	25
	D	41	41	41	41	41	41	41	41	41	41
85832-X48LF	C	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X49	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X49LF	C	41	41	41	41	41	41	41	41	41	41
	B	41	41	41	41	41	41	41	41	41	41
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X50	E	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25
85832-X50LF	C	25	25	25	25	25	25	25	25	25	25
	B	42	42	42	42	42	42	42	42	42	42
	A	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X51	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X51LF	C	42	42	42	42	42	42	42	42	42	42
	B	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X52	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X52LF	C	41	41	41	41	41	41	41	41	41	41
	B	43	43	43	43	43	43	43	43	43	43
	A	41	41	41	41	41	41	41	41	41	41

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY	projection	title	
U					0.XX ±0.13			METRAL SIGNAL HEADER	
					.XXX ±.051			2 MOD, 5 ROW PRESS-FIT	
				angles	0° ±2°			product family	
				dr	T.BRUNGARD 11/19/99			METRAL	
				enrg	M.STRAWSE 11/19/99			code	
				chr	M.STRAWSE 11/19/99			213	
				appd	M.STRAWSE 02/29/00			sheet	
sheet		revision				scale		6	
index		sheet				1:1			



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X53	E	42	42	42	42	42	42	42	42	42	42
	D	42	42	42	42	42	42	42	42	42	42
85832-X53LF	C	42	42	42	42	42	42	42	42	42	42
	B	42	42	42	42	42	42	42	42	42	42
	A	42	42	42	42	42	42	42	42	42	42

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X54	E	43	43	43	43	43	43	43	43	43	43
	D	43	43	43	43	43	43	43	43	43	43
85832-X54LF	C	43	43	43	43	43	43	43	43	43	43
	B	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X55	E	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11
85832-X55LF	C	12	12	12	12	12	12	12	12	12	12
	B	21	21	21	21	21	21	21	21	21	21
	A	21	21	21	21	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X56	E	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11
85832-X56LF	C	11	11	11	11	11	11	11	11	11	11
	B	21	21	21	21	21	21	21	21	21	21
	A	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X57	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X57LF	C	8	8	8	8	8	8	8	8	8	8
	B	20	20	20	20	20	20	20	20	20	20
	A	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X58	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X58LF	C	7	7	7	7	7	7	7	7	7	7
	B	20	20	20	20	20	20	20	20	20	20
	A	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X59	E	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2
85832-X59LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2


METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X60	E	4	4	4	4	4	4	4	4	4	4
	D	4	4	4	4	4	4	4	4	4	4
85832-X60LF	C	4	4	4	4	4	4	4	4	4	4
	B	1	1	1	1	1	1	1	1	1	1
	A	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X61	E	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2
85832-X61LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X62	E	64	64	64	64	64	64	64	64	64	64
	D	64	64	64	64	64	64	64	64	64	64
85832-X62LF	C	64	64	64	64	64	64	64	64	64	64
	B	64	64	64	64	64	64	64	64	64	64
	A	64	64	64	64	64	64	64	64	64	64

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X63	E	1	1	1	1	1	1	1	1	1	1
	D	2	2	2	2	2	2	2	2	2	2
85832-X63LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X64	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X64LF	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		
lfr	ecr no.	dr	date	linear	0.XX ±0.13	projection	COPY	title METRAL SIGNAL HEADER		
U				angles				2 MOD, 5 ROW PRESS-FIT		
				dr	T.BRUNGARD 11/19/99		MM	product family METRAL		
				enrg	M.STRAWSER 11/19/99			size	dwg no	code
				chr	M.STRAWSER 11/19/99			A	85832	213
				appd	M.STRAWSER 02/29/00					
sheet	revision									
index	sheet									

PRODUCT NUMBER

85832-XYX

85832-XYXLF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
85832-XYX IS SnPb
85832-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP

- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073

- AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.


ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

- REFER TO 89007 FOR OTHER LOAD VARIATIONS.

PLATING IN CONTACT AREA		NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

mat'l code				--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY			title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT			
U					0.XX ±0.13		projection						
				angles	.XXX ±.051					product family METRAL			
					0° ±2°								
				dr	T.BRUNGARD	11/19/99			size	dwg no		code	
				enrg	M.STRAWSER	11/19/99			A		213		
				chr	M.STRAWSER	11/19/99					sheet		
				appd	M.STRAWSER	02/29/00	1:1				8		
sheet	revision												
index	sheet												

cage code 22526

Pro/E

3 |

4

PDM: Rev:U

STATUS: Released

Printed: Sep 16, 2009