




REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	SEP.07.10	A.G.
B		CHANGE HEAT SINK FRAME	DEC.08.10	A.G.


MATERIAL:
CAGE:
COPPER ALLOY
PLATING:
2.54um MIN. NICKEL
HEATSINK:
ALUMINUM, BLACK
ANODIZING COATING
HEATSINK CLIP:
STAINLESS STEEL
PACKAGING:
TRAY PACKAGING
TEMPERATURE RANGE:
-40C TO +85C




DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PUPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE	Amphenol Canada Corp.	
DECIMALS		DRAWN	MIKE.H	SEP.07.10	TITLE 1X4 SFP+ CAGE WITH HEATSINK ASSEMBLY	
ANGLES		DESIGNED				
X.X ± 0.38		CHECKED	J.SI	SEP.07.10		
X.XX ± 0.25		QA APPD			SIZE A3 DWG. NO. P-U77-E412M-2081 REV. B	
MATERIAL AND FINISH		E APPD				
SEE NOTE 1		DWG APPD	A.G	SEP.07.10		
REF.		SCALE	4:1	PROJECT	SHEET 1 OF 6	
CODE IDENT. NO. 03554						



REVISIONS				
REV.	ECN/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	SEP.07.10	A.G.
B		CHANGE HEAT SINK FRAME	DEC.08.10	A.G.




DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PUPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.38 X.XX ± 0.25 ANGLES ± 1° MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS		DATE		Amphenol Canada Corp. 1X4 SFP+ CAGE WITH HEATSINK ASSEMBLY					
		DRAWN MIKE.H		SEP.07.10							
		DESIGNED									
		CHECKED J.SI		SEP.07.10							
		QA APPD				SIZE A3		DWG. NO. P-U77-E412M-2081		REV. B	
		E APPD									
		DWG APPD A.G		SEP.07.10		SCALE 2:1		PROJECT		SHEET 2 OF 6	



REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	SEP.07.10	A.G.
B		CHANGE HEAT SINK FRAME	DEC.08.10	A.G.


SECTION A-A
SCALE 2 : 1

RECOMMENDED BEZEL DESIGN
(FOR SINGLE SIDE MOUNTING)

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PUPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS		DATE	Amphenol Canada Corp. TITLE 1X4 SFP+ CAGE WITH HEATSINK ASSEMBLY SIZE DWG. NO. REV. A3 P-U77-E412M-2081 B SCALE PROJECT SHEET	
		DRAWN	MIKE.H	SEP.07.10		
		DESIGNED				
		CHECKED	J.SI	SEP.07.10		
		QA APPD				
		E APPD				
		DWG APPD	A.G	SEP.07.10		



REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	SEP.07.10	A.G.
B		CHANGE HEAT SINK FRAME	DEC.08.10	A.G.

NOTES:
PANEL CUTOUT SIZES PER SFF 8433 SPEC . FOR
BELLY TO BELLY MOUNTING , DIM "E" (PCB THICKNESS)
IS 3.0mm MIN. DIM "F" RELATED TO DIM "E". FOR
DIM "F" = DIM "E" - 0.44mm. THE PANEL CUTOUT
10.40mm MIGHT BE INCREASED UP TO 10.80mm
IN ORDER TO ACCOMODATE PCB TOLERANCE.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS		DATE	Amphenol Canada Corp. 1X4 SFP+ CAGE WITH HEATSINK ASSEMBLY P-U77-E412M-2081 SCALE 1:1 PROJECT SHEET 4 OF 6	
		DRAWN	MIKE.H	SEP.07.10		
		DESIGNED				
		CHECKED	J.SI	SEP.07.10		
		QA APPD				
		E APPD				
		DWG APPD	A.G	SEP.07.10		

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE
OR USED FOR MANUFACTURING PUPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

