







LOC		DIST		REVISIONS					
FX		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
		S10				REVISED PER ECO-09-009758	23APR2009	DLD	DCM
		S11				REVISED PER ECO-09-028550	29DEC2009	DLD	DCM



SCALE 1:1



- △ MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- △ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- △ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS. BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

SEE PINOUT CHARTS		PART NUMBER	
R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
D. STRAUSSER 01AUG2003		SIZE 00779	
PRODUCT SPEC		DRAWING NO C=1438082	
APPLICATION SPEC		RESTRICTED TO	
WEIGHT		SCALE 4:1	
CUSTOMER DRAWING		SHEET 1 OF 5	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22							12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																	
44									35		32														12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																	
									35																										6-1438735-2	2LIT-14A464-SD-084																
			43	42		40	39		37					29					20	18			15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083															
45	43								38		36						25	24						18	17	16		14	12				7	6		2	1	5-1438735-0	2LIT-14A464-SD-082													
45	43								38		36						25	24								16		14	12				7	6		2	1	4-1438735-9	2LIT-14A464-SD-081													
45	43								38		36			32	31			25	24		21	19	18	17	16		14	12				7	6		1	4-1438735-8	2LIT-14A464-SD-080															
45	43								39	38	37	36			31			25	24					18	17	16		14	13	12			9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079												
				42															20	18				13	11	10									2	1	3-1438735-8	2LIT-14A464-SD-078														
				42															20	18				13	11	10										1	3-1438735-7	2LIT-14A464-SD-077														
45	43								39	38	37	36			31			25	24		21	20	19	18	17			14	13	12			9				2	1	3-1438735-6	2LIT-14A464-SD-076												
45	43									38		36			31			25	24		21	20	19	18	17			14	12								2	1	3-1438735-5	2LIT-14A464-SD-075												
			43	42		40	39		37					29					20	18			15	14		11	10	9	8	7				4	3	2	1	3-1438735-3	2LIT-14A464-SD-074													
45	43								39	38	37	36			31			25	24			20	19	18	17			14	13	12			9					2	1	3-1438735-2	2LIT-14A464-SD-073											
45	43									38		36			31			25	24		21	20	19	18	17	16		14	12					7				2	1	3-1438735-1	2LIT-14A464-SD-072											
45	43								39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12			9	7					2	1	3-1438735-0	2LIT-14A464-SD-071										
45	43									38		36			31			25	24		21	20	19			16		14	12				7					2	1	2-1438735-9	2LIT-14A464-SD-070											
45	43								39	38	37	36			31			25	24		21	20	19			16		14	13	12			9	7					2	1	2-1438735-8	2LIT-14A464-SD-069										
45	43									38		36			31			25	24			20	19	18	17			14	12									2	1	2-1438735-6	2LIT-14A464-SD-068											
											33															13															2	1	2-1438735-5	2LIT-14A464-SD-067								
45	44	43	42		40				38	37	36		33	31				24	22	21	20		18	17	16	15					9	8							2		2-1438735-4	2LIT-14A464-SD-066										
			43											31		29							18									8								2		2-1438735-1	2LIT-14A464-SD-065									
45	43								38		36	35			31			25	24		21					16		14	12					7	6					2	1	2-1438735-0	2LIT-14A464-SD-064									
45	43								39	38	37	36	35			31			25	24					18	17	16		14	13	12			9	7	6					2	1	1-1438735-9	2LIT-14A464-SD-063								
45	43								38		36	35			32	31			25	24		21	19	18	17	16		14	12					7	6					1	1-1438735-8	2LIT-14A464-SD-062										
45	43								38		36	35			31			25	24							16		14	12					7	6					2	1	1-1438735-7	2LIT-14A464-SD-061									
45	43								38		36	35			31			25	24		21	19			16		14	12					7	6					2	1	1-1438735-6	2LIT-14A464-SD-060										
45	43								38		36	35			31			25	24					18	17	16		14	12					7	6					2	1	1-1438735-5	2LIT-14A464-SD-059									
45	43								39	38	37	36	35			31			25	24		21	19	18	17	16		14	13	12			9	7	6					2	1	1-1438735-4	2LIT-14A464-SD-058									
45	43								38		36	35			31			25	24		21	19	18	17	16		14	12					7	6					2	1	1-1438735-3	2LIT-14A464-SD-057										
				42						37									20	18			15	14		11	10	9	8	7				4	3	2	1	1-1438735-2	2LIT-14A464-SD-056													
45	43										36	35			31				24		21	19			16		14	12					7	6					1	1-1438735-1	2LIT-14A464-SD-055											
										35								27																							3		1-1438735-0	2LIT-14A464-SD-054								
			43									31		29									18							9	8									2		1438735-9	2LIT-14A464-SD-053									
										35								27																	7							1438735-8	2LIT-14A464-SD-052									
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A" 																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST REVISION.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3
1 PLC ±0.10
5 PLC ±.
4 PLC ±.
ANGLES ±°
FINISH -

WEIGHT

-

DWN R. VESTAL 01AUG2003
CHK D. STRAUSSER 01AUG2003
APVD D. STRAUSSER 01AUG2003

NAME

46 WAY PCM CONNECTOR HARNESS ASSEMBLY

SIZE

A

CAGE CODE

00779

DRAWING NO

C=1438082

RESTRICTED TO

-

CUSTOMER DRAWING

SCALE 4:1

SHEET 3 OF 5

REV S 11

Tyco Electronics
Harrisburg, PA 17105-3608

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

