

F







E

D


C

B


A



アクチュエータ開放位置
ACTUATOR OPENING POSITION



SECTION Y-Y



SECTION X-X


注記 NOTES

- 使用材料 MATERIALS
ハウジング : 耐熱性樹脂(UL94V-0、ベージュ)
アクチュエータ : 耐熱性樹脂(UL94HB、黒色)
奇数端子 : 銅合金、ニッケル下地、金メッキ
偶数端子 : 銅合金、ニッケル下地、金メッキ
補強金具 : 銅合金、ニッケル下地、スズメッキ
HOUSING : G.F. HEAT RESISTANCE PLASTIC (BEIGE)
ACTUATOR : G.F. HEAT RESISTANCE PLASTIC (BLACK)
ODD TERMINAL : COPPER ALLOY, Gold OVER Nickel PLATING
EVEN TERMINAL : COPPER ALLOY, Gold OVER Nickel PLATING
FITTING NAIL : COPPER ALLOY, Tin OVER Nickel PLATING
- 端子、補強金具のコプラナリティーは 0.1 以下とする
COPLANALITY OF SOLDER TAILS AND FITTING NAILS : 0.1MAX.
- 一般公差 : ± 0.3
GENERAL TOLERANCES: ±0.3
- アクチュエータの図示箇所にゲート逃けの凹みがつきます
THERE ARE DENT SHAPES AT ACTUATOR FOR MOLDING GATE
- ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT
- 塩素系・臭素系難燃剤非使用
CHLORINATED AND BROMINATED FLAME RETARDANTS FREE

13.84	13	12	12.5	14.5	502078-5110	502078-5118	51
10.84	10	9	9.5	11.5	502078-3910	502078-3918	39
9.34	8.5	7.5	8	10	502078-3310	502078-3318	33
7.34	6.5	5.5	6	8	502078-2510	502078-2518	25
6.34	5.5	4.5	5	7	502078-2110	502078-2118	21
5.34	4.5	3.5	4	6	502078-1710	502078-1718	17
E	D	C	B	A	ORDER NO.	MATERIAL NO.	CKT.=N





502078-**-18 MODEL NO.

REVISED EC NO.: J2012-0409 DRAWN: M. TANAKA CHKD: APPR: SHOSHI KAWA	2011/09/21 2011/09/30	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
					MM ONLY		20:1	METRIC		
			10 UNDER	± ---	DRAWN BY	DATE	TITLE 0.25 PITCH FPC CONN E/O HGT=1.0 BTM CONTACT TYPE			
			10 OVER 30 UNDER	± ---	CHECKED BY	DATE				
			30 OVER	± ---	APPROVED BY	DATE	MOLEX MOLEX INCORPORATED			
			ANGULAR ±1 °	MATERIAL NO.	DOCUMENT NO.	SHEET NO.				
REV	B	1	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-502078-003		1 OF 2	
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			




注記 NOTES

- 製品詳細寸法については図面 SD-502078-003 を参照下さい。
RE DETAILED DIMENSION, SEE SD-502078-003
- 梱包数量 : 3000 個/リール
NUMBER OF CONNECTORS : 3000 PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH



- 材料 MATERIAL
キャリアテープ (CARRIER TAPE) : ポリスチレン (POLYSTYRENE)
トップテープ (TOP TAPE) : PET , PE , PEF
リール (REEL) : ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED>

RELEASED EC NO: J2009-1529 DRWN:YFUJITA 2008/12/15 CHKD:TKANEKO 2008/12/15 APPR:TKANEKO 2008/12/15	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	MODEL NO. 502078-**-10	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY YFUJITA	DATE 2008/12/15	TITLE 0.25 FPC CONN E/O HSG ASSY EMBOSSED TAPE PACKAGE  MOLEX INCORPORATED		
		10 OVER 30 UNDER	± 0.25	CHECKED BY TKANEKO	DATE 2008/12/15			
		30 OVER	± 0.3	APPROVED BY AHORINO	DATE 2008/12/15			
	ANGULAR ±1 °		MATERIAL NO.		DOCUMENT NO. SD-502078-004		SHEET NO. 1 OF 2	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART					
	REV	SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



24	11.5	25.4	14.8	502078-5110	51
			11.8	502078-3910	39
			10.3	502078-3310	33
			8.3	502078-2510	25
			7.3	502078-2110	21
16	7.5	17.4	6.3	502078-1710	17
D キャリアテープ幅 CARRIER TAPE WIDTH			C	B	(A)
			MODEL NO.		製品番号 MATERIAL NO.
					502078-xx10
			SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION

RELEASED EC NO: J2009-1529 DRWN: YFUJITA CHKD: TKANEKO APPR: TKANEKO O	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY YFUJITA	DATE 2008/12/15	0.25MM FPC CONN E/O HSG ASSY EMBOSSED TAPE PACKAGE MOLEX INCORPORATED				
		10 OVER 30 UNDER	± 0.25	CHECKED BY TKANEKO	DATE 2008/12/15					
		30 OVER	± 0.3	APPROVED BY AHORINO	DATE 2008/12/15					
		ANGULAR ±1 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-502078-004		2 OF 2			
	REV			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				