


spec ref	-		dr	Guomin Sun	2015-01-28	projection		size	scale	
	tolerance std	ISD 406	eng	Guomin Sun	2015-01-28					ech no
ISD 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-	mm		rel level	ELX-W-2018	
			appr	Tim Yao	2015-01-28	Mintek		RELEASED		
surface	-	linear	FCI			MINITEK 2.0MM LPVCC		10129334		rev
			www.fc-i.com			cat. no.		Product - Customer Drw		
			angular			0°		±3°		
ISD 1302			www.fc-i.com			cat. no.		Product - Customer Drw		sheet 1 of 3

1

2

3

4

PRODUCT NO	POSITIONS	DIM. A	DIM.B
10129334-XX03LF	1 X 3	4.00	6.60
10129334-XX04LF	1 X 4	6.00	8.60
10129334-XX05LF	1 X 5	8.00	10.60
10129334-XX06LF	1 X 6	10.00	12.60
10129334-XX07LF	1 X 7	12.00	14.60
10129334-XX08LF	1 X 8	14.00	16.60
10129334-XX09LF	1 X 9	16.00	18.60
10129334-XX10LF	1 X 10	18.00	20.60
10129334-XX11LF	1 X 11	20.00	22.60
10129334-XX12LF	1 X 12	22.00	24.60
10129334-XX13LF	1 X 13	24.00	26.60
10129334-XX14LF	1 X 14	26.00	28.60
10129334-XX15LF	1 X 15	28.00	30.60
10129334-XX16LF	1 X 16	30.00	32.60
10129334-XX17LF	1 X 17	32.00	34.60
10129334-XX18LF	1 X 18	34.00	36.60
10129334-XX19LF	1 X 19	36.00	38.60
10129334-XX20LF	1 X 20	38.00	40.60
10129334-XX21LF	1 X 21	40.00	42.60
10129334-XX22LF	1 X 22	42.00	44.60
10129334-XX23LF	1 X 23	44.00	46.60
10129334-XX24LF	1 X 24	46.00	48.60
10129334-XX25LF	1 X 24	48.00	50.60



Copyright FCI.

D

C

B

A

PLATING OPTIONS OVER CONTACT AREA			
0 = 3u" Au OVER 50u" Ni			
1 = 10u" Au OVER 50u" Ni			
2 = 15u" Au OVER 50u" Ni			
3 = 30u" Au OVER 50u" Ni			
4 = 2u" Au OVER 50u" Ni			
5 = 6u" Au OVER 50u" Ni			

A

B

C

D

dr	Guolin Sun	2015-01-28			size	A3	scale	10:1					
eng	Guolin Sun	2015-01-28											
chr	-	-		Minitex	ecr no	ELX-N-22018	RELEASED	-					
appr	Tin Yao	2015-01-28											
MINITEK 2.0MM LPVCC			Product - Customer Drw						sheet 2 of 3				
SINGLE ROW SMT ASSY			-						B				
www.fci.com			cat. no.						10129334				

1

2

3

4

1


2

3

4

NOTES:

- 1. HOUSING MATERIAL : HIGH THERMOPLASTIC PLASTIC.
- 2. TERMINAL MATERIAL : COPPER ALLOY.
- 3. TERMINAL RETENTION FORCE 0.20KG/PER PIN
- 4. GOLD 1u" OVER 50u" NI PLATING ON SOLDER TAILS
- 5. PRODUCT DESCRIPTION CODE:



- 6. PACKAGING
 - (a) 10129334-XXXXLF --- STD PACKAGING IN TUBE.
 - (b) 10129334-XXXXTRLF --- TAPE AND REEL PACKAGING WITH PICK-UP CAP.
 - (c) 10129334-XXXXTRLNF --- TAPE AND REEL PACKAGING WITHOUT PICK-UP CAP.

- 7. THE HOUSING WILL WITHSTAND EXPOSURE TO 255°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRARED OR VAPOR PHASE REFLOW OVEN.
- 8. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 9. THIS PRODUCT IS BOTTOM ENTRY TYPE
- 10. PRODUCT SPECIFICATIONS-12-1306



Copyright FCI.

D

dr	Guoqin Sun	2015-01-28		projection		size	A3	scale	10:1	
eng	Guoqin Sun	2015-01-28				ecn no	ELX-N-2018	-		
chr	-	-		product family	Minitex	rel level	RELEASED			
appr	Tin Yao	2015-01-28								
		title		MINITEK 2.0MM LPVCC SINGLE ROW SMT ASSY		part no		10129334	rev	B
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 3 of 3		

1

2

3

4