





_			2		3	4	5	6	7	8
	HPCE PART NUMBER (TABLE 2)									
А	PART NUMBER	TAIL TYPE	HOLD-DOWN OPTION	ORIENTATION KEY	DIM "A" TYPICAL TAIL LENGTH					A
	10114492-001LF	SOLDER TAIL	NO	YES	3.25±0.25					
	10114492-002LF			NO						
В	10114492-003LF		YES	YES						
	10114492-004LF			NO						
	10114492-005LF		NO	YES	- 4.05±0.25					В
	10114492-006LF			NO						
	10114492-007LF		YES	YES						
С	10114492-008LF			NO			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
	10114492-009LF		NO	YES	4.85±0.25					
	10114492-010LF			NO				A B B B B B B B B B B B B B B B B B B B		С
-	10114492-011LF		YES	YES						
	10114492-012LF			NO						
D										
	NOTES:								D	
	I. CONNECTOR MATERIALS: HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK									
	UL 94V-0 COMPLIANT CONTACTS: HIGH PERFORMANCE COPPER ALLOY.									
Copyright FCI.	2. CONTACT FINISH REF. GS-12-604 SECTION 5.2.									
	3. PRODUCT SPECIFICATION: GS-12-604. 4. APPLICATION SPECIFICATION: GS-20-128.									
	•	PACKAGING MEETS FCI SPECIFICATION GS-14-937.								
	7.)	7.) HOUSING COMPONENT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 60 SECONDS IN A CONVECTION, INFRA-RED, OR VAPOR PHASE REFLOW OVEN.								
	9.	ALL HOLE SIZE	S ARE FINISHE) HOLE SIZES.						
		eng Wei-Long Zhang 2011/09/16 chr Jon Qin 2011/09/19 appr Pei-Ming Zheng 2011/09/19 product family - rel level Released rev								
									H POWER CARD EDGE	- Customer Drw Sheet 4 of 4
	Pro/E File - REV C - 2009-06-09		2		3	4	5	PDS: Rev :B	STATUS:Released	Printed: Sep 19, 2011