





PRODUCT NUMBER SEE SHEET 2






spec ref *				dr	Rainbow Zhan	2015/12/20	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2			
tolerance std				eng	Rainbow Zhan	2016/02/24			ecn no				ELX-DG-23358-1		
ASME Y14.5				chr	Fancy Zhang	2016/02/24			rel level				Released		
				appr	Pei-Ming Zheng	2016/02/25			product family				PwrBlade+		
surface	linear	0.X	±0.5		title 8HP + 24S RA STB RECEPTACLE						dwg no	10106126-8006005		rev	B
		0.XX	±0.25												
		0.XXX	±0.10												
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.			Product - Customer Drw				sheet 1 of 3			

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

 10) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH
HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref *				dr	Rainbow Zhan	2015/12/20	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rainbow Zhan	2016/02/24			ecn no ELX-DG-23358-1			
				chr	Fancy Zhang	2016/02/24			rel level Released			
				appr	Pei-Ming Zheng	2016/02/25						
							product family		PwrBlade+			
surface <div></div> ASME Y14.5	linear	0.X	±0.5	Amphenol FCI	title 8HP + 24S RA STB RECEPTACLE				dwg no	10106126-8006005		rev B
		0.XX	±0.25									
		0.XXX	±0.10									
	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw				sheet 3 of 3	