




Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS
51732-062-- NOTE 3	D C B A



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PG	[N/A]	POWER
CR	[6.86]	SIGNAL
CS	[6.86]	SIGNAL
CT	[6.86]	SIGNAL
CU	[6.86]	SIGNAL
CG	[5.59]	SIGNAL
CF	[5.59]	SIGNAL

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date					COPY			www.fciconnect.com
A	DG10-0239	WD	06/25/10	linear		0.X ±0.5		projection		title	3P + 12S RIGHT ANGLE SOLDER HEADER
				angles		0.XX ±0.25				product family	PwrBlade
				dr	Warren Du	04/26/10				size	213
				enr	Warren Du	04/26/10				dwg no	51732-062
				chr	PM Zheng	04/26/10				sheet	1 of 4
				appd	Joseph Hsia	04/26/10				scale	
sheet index	revision sheet	A	A	A	A						
		1	2	3	4						

Pro/E


cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER
51732-062--
NOTE: 3



BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1



SECTION C-C

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date			linear	0.X ±0.5	COPY		www.fciconnect.com	
A						angles	0.XX ±0.25	projection		title	
							0.XXX ±0.1			3P + 12S	
						dr	0° ±2°			RIGHT ANGLE SOLDER HEADER	
						enr	Warren Du 04/26/10			product family	
						chr	Warren Du 04/26/10			PwrBlade	
						appd	PM Zheng 04/26/10			code	
							Joseph Hsia 04/26/10			213	
sheet index		revision sheet						scale		size	
								1:1		dwg no	
										51732-062	
										sheet	
										2 of 4	

cage code 22526


Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51732-062--
NOTE: 3



RECOMMENDED PCB LAYOUT

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear		0.X ± 0.5		COPY		www.fciconnect.com	
A						0.XX ± 0.25		projection		title 3P + 12S	
						0.XXX ± 0.1				RIGHT ANGLE SOLDER HEADER	
				angles		0° ± 2°				product family PwrBlade	
					dr	Warren Du	04/26/10			code 213	
					enrg	Warren Du	04/26/10			size	
					chr	PM Zheng	04/26/10	scale 1:1		dwg no 51732-062	
					appd	Joseph Hsia	04/26/10			sheet 3 of 4	
sheet index	revision sheet									cage code 22526	

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51732-062-- NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
3. SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51732-062 AND 51732-062LF RESPECTIVELY
4. MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON
THIS SURFACE. THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH
SPACE ON THIS SURFACE.
5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
11. CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date					COPY		www.fciconnect.com	
A				linear		$0.X \pm 0.5$		projection		title 3P + 12S	
						$0.XX \pm 0.25$				RIGHT ANGLE SOLDER HEADER	
				angles		$0.XXX \pm 0.1$					
				dr	Warren Du	04/26/10		MIM		product family	PwrBlade
				enrg	Warren Du	04/26/10				size	code
				chr	PM Zheng	04/26/10		scale		dwg no	213
				appd	Joseph Hsia	04/26/10		1:1	A	51732-062	sheet
sheet	revision										4 of 4
index	sheet										

cage code 22526