

# Mounting frame - SI-M1B-ML - 1407589

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Mounting frame for two front plates/sockets, frame: black, cover: metallic, closed with 3 mm two-way key bit.



#### **Product Features**

☑



### Key commercial data

| Packing unit                         | 1 pc           |
|--------------------------------------|----------------|
| Weight per Piece (excluding packing) | 1046.25 GRM    |
| Custom tariff number                 | 39269097       |
| Country of origin                    | Czech Republic |

## Technical data

#### Ambient conditions

| Ambient temperature (operation) | -30 °C 70 °C |
|---------------------------------|--------------|
|                                 |              |

General

| Туре                                    | For 2 front plates |
|---|--------------------|
| Housing material                        | PBT                |
| Inflammability class according to UL 94 | V0                 |

### Classifications

#### eCl@ss

| eCl@ss 4.0 | 27141209 |
|------------|----------|
| eCl@ss 4.1 | 27141209 |
| eCl@ss 5.0 | 27149109 |
| eCl@ss 5.1 | 27143424 |



# Mounting frame - SI-M1B-ML - 1407589

# Classifications

eCl@ss

| eCl@ss 6.0 | 27143424 |
|------------|----------|
| eCl@ss 7.0 | 27440209 |

#### ETIM

| ETIM 3.0 | EC000441 |
|----------|----------|
| ETIM 4.0 | EC002625 |
| ETIM 5.0 | EC002625 |

#### UNSPSC

| UNSPSC 6.01   | 30211808 |
|---------------|----------|
| UNSPSC 7.0901 | 39121408 |
| UNSPSC 11     | 39121408 |
| UNSPSC 12.01  | 39121408 |
| UNSPSC 13.2   | 39121408 |

# Approvals

#### Approvals

Approvals

EAC

#### Ex Approvals

Approvals submitted

### Approval details

EAC

# Drawings



# Mounting frame - SI-M1B-ML - 1407589

Dimensional drawing

Panel cutout

Phoenix Contact 2015 © - all rights reserved http://www.phoenixcontact.com