

4

3

2

1

THIS DRAWING IS UNPUBLISHED RELEASED FOR PUBLICATION 2015

© COPYRIGHT 2015 BY TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
-	-	NC	NEW RELEASE PER E.O. PI9754	18MAR2008	-	RDR
-	-	A	REVISED PER ECO-15-001798	19MAR2015	PV	DM

3D VIEW

MAIN POLARIZING KEY

GROMMET

 $\varnothing 1.692^{+0.000}_{-0.100}$
 $[42.97^{+0.00}_{-2.54}]$
 OVER KNURL

(2.566)
 $[65.18]$
 (1.480)
 $[37.59]$
 $(\varnothing 1.480)$
 $[37.59]$
 1.1875-18UNEF-2A

MATERIAL:
 PLUG HOUSING: AL 6000 SERIES
 ADAPTER: AL 6000 SERIES
 GROMMET: SILICONE VMQ (RED)

4. SEE CUSTOMER DRAWING 0425-013-1800 FOR ARRANGEMENT OF CONTACT LOCATION.

3. THIS PLUG MATES WITH FOLLOWING RECEPTACLE: HD34-18-XXS/PX-XXXX
X= TYPE OF SEAL, XX= NUMBER OF CAVITIES,
XXXX= ALL MODIFICATION.

2. 14 PIN ARRANGEMENT SHOWN FOR REF. ONLY.

1. CONSULT FACTORY FOR ELECTRICAL AND MATERIAL SPECIFICATIONS.

NOTES:

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN I. GRANTCHAROVA 04FEB2008	TE Connectivity													
DIMENSIONS: INCHES [mm]		CHK R. MCCORD 18MAR2008														
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. BEARD 26FEB2008	NAME PLUG CONNECTOR SIZE 18, BAYONET COUPLING -L005 MON													
<table border="1"> <tr><td>0 PLC</td><td>±-</td></tr> <tr><td>1 PLC</td><td>±-</td></tr> <tr><td>2 PLC</td><td>±-</td></tr> <tr><td>3 PLC</td><td>±.010 [±.254]</td></tr> <tr><td>4 PLC</td><td>±-</td></tr> <tr><td>ANGLES</td><td>±0° 30' 0"</td></tr> </table>		0 PLC	±-	1 PLC	±-	2 PLC	±-	3 PLC	±.010 [±.254]	4 PLC	±-	ANGLES	±0° 30' 0"	PRODUCT SPEC 0425-016-0000	SIZE A3	
0 PLC	±-															
1 PLC	±-															
2 PLC	±-															
3 PLC	±.010 [±.254]															
4 PLC	±-															
ANGLES	±0° 30' 0"															
MATERIAL SEE NOTE		APPLICATION SPEC 0425-016-0000	CAGE CODE -	DRAWING NO HD36-18-XXP/SX-L005												
FINISH -		WEIGHT -	RESTRICTED TO -													
		Customer Drawing	SCALE	SHEET OF REV A												

1470-19 (3/11)