

A

B

C

D


A

B

C

D

- NOTES:
- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
 - 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
 - 3) PLATING SPECIFICATION : 10116351
 - 4) DENOTES CONNECTOR KEEP OUT ZONE.
 - 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
 - 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
 - 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
 - 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION : GS-14-1502.



dr	Zhen-Hua Liu	2015/06/18	projection	MM	size	A3	scale	3:2			
eng	Zhen-Hua Liu	2015/07/03			ecn no	-					
chr	Fancy Zhang	2015/07/03									
appr	Pei-Ming Zheng	2015/07/03	product family		PwrBlade+	rel level	Released				
www.fci.com			title			8HP + 20S VERTICAL STB HEADER		dwg no	10106128-8005001	rev	A
cat. no.			Product - Customer Drw					sheet 3 of 3			