


CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
R	[6.86]	SIGNAL
H	[5.59]	SIGNAL
PA	[N/A]	POWER
HA	[N/A]	HOLD-DOWN
X	OMITTED	


spec ref	*	dr	De-Ming Lu	2014/04/29	projection 	MM ←→	size	A4	scale	1:1			
tolerance std	ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	De-Ming Lu			2014/05/06	ecn no	-				
			chr	-			-						
surface	✓	ASME Y14.5	linear	0.X	±0.5	product family	PwrBlade	rel level	Released				
				0.XX	±0.25								
				0.XXX	±0.1								
		angular	0°	±2°	www.fci.com	product title	6P + 24S RIGHT ANGLE SOLDER HEADER	cat. no.	-	Product - Customer Drw	sheet 1 of 4		
						product family	PwrBlade	rel level	Released	dwg no	51732-083	rev	A

PRODUCT NUMBER


51732-083--
NOTE: 3



BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1




SECTION C-C

dr	De-Ming Lu	2014/04/29	projection 	MM 	size	A4	scale	1:1
eng	De-Ming Lu	2014/05/06			ecn no	-		
chr	-	-			rel level	Released		
appr	Pei-Ming Zheng	2014/05/06	product family	PwrBlade	rev	A		
	title	6P + 24S RIGHT ANGLE SOLDER HEADER		dwg no	51732-083			
www.fci.com	cat. no.	-	Product - Customer Drw	sheet 2 of 4				

PRODUCT NUMBER

51732-083__
NOTE: 3



RECOMMENDED PCB LAYOUT

dr	De-Ming Lu	2014/04/29	projection 	MM 	size	A4	scale	1:1	
eng	De-Ming Lu	2014/05/06			ecn no	-			
chr	-	-			rel level	Released			
appr	Pei-Ming Zheng	2014/05/06	product family	PwrBlade					
		title	6P + 24S RIGHT ANGLE SOLDER HEADER		dwg no	51732-083		rev	A
www.fci.com		cat. no.	-	Product - Customer Drw			sheet 3 of 4		

PRODUCT NUMBER

51732-083--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51732-083 AND 51732-083LF RESPECTIVELY.
- 4. MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.

PCB NOTES:

- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
- 10. CONNECTOR KEEP-OUT ZONE.



Copyright FCI.

dr	De-Ming Lu	2014/04/29	projection 	MM 	size	A4	scale	1:1			
eng	De-Ming Lu	2014/05/06			ecn no	-					
chr	-	-			product family	PwrBlade	rel level	Released			
appr	Pei-Ming Zheng	2014/05/06			title	6P + 24S		dwg no	51732-083	rev	A
www.fci.com		cat. no.	-	Product - Customer Drw			sheet 4 of 4				