



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. 2014. MATED WITH: PASSEND ZU:
 VERTRÄULICHE UNVERÖFFENTLICHTE ZEICHNUNG. FREI FÜR VERÖFFENTLICHUNG. ALLE RECHTE VORBEHALTEN.

PROJEKT NR.:			REVISIONS		
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	NEW RELEASE	13OCT2014	TJ	PS

NOTES:



- ① MATERIAL: ITEM NO. 1: HOUSING - PA
 ITEM NO. 2: CONTACT BODY - PA
 ITEM NO. 3: CONTACT - CuZn (BRASS)
 CONTACT FINISH - Au (GOLD)
- 2 ALL DIMENSIONS ARE FOR NOMINAL REFERENCE ONLY UNLESS OTHERWISE STATED
- 3 MEASUREMENT REFERENCE ONLY
- 4 PACKAGING: 1 PIECE IN A BAG

TECHNICAL DATA	3-2172096-2
RATED VOLTAGE	60V
RATED IMPULSE VOLTAGE	1500V
POLLUTION DEGREE	3
OVERVOLTAGE CATEGORY	III
MATERIAL GROUP	III
RATED CURRENT	12A
VOLUME RESISTIVITY	<3mΩ
DEGREE OF PROTECTION	IP67
UPPER TEMPERATURE	+85 °C
LOWER TEMPERATURE	-40 °C



PIN ARRANGEMENT T-CODING

3-2172096-2



SIZE ISO 14405 (E)

Ø5-8	16 / 1.50	①	4	3-2172096-2
CABLE FEED-THROUGH mm	WIRES AWG / mm²	MATERIAL	NUMBER OF POLES	TE-PART-NO.

DIESE ZEICHNUNG IST EIN KONTROLLIERTES DOKUMENT. BEMASSUNGEN UND TOLERANZEN GEMAESS GPS (ISO STANDARDS).		DWN CHIRASHREE 13OCT2014		TE Connectivity																														
THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER GPS (ISO STANDARDS).		CHK THAJUDEEN M 13OCT2014																																
DIMENSIONS: MASSEINHEITEN: (MM)		APVD PRASHANTH S 13OCT2014																																
TOLERANCES UNLESS OTHERWISE SPECIFIED: ALLGEMEINTOLERANZEN		NAME M12 PLUG, MALE, STRAIGHT, SHIELDED, FIELD INSTALLABLE, T-CODED																																
<table border="1"> <tr><td>0 PLC</td><td>*</td></tr> <tr><td>1 PLC</td><td>*</td></tr> <tr><td>2 PLC</td><td>*</td></tr> <tr><td>3 PLC</td><td>*</td></tr> <tr><td>4 PLC</td><td>*</td></tr> <tr><td>ANGLES/WINKEL</td><td>*</td></tr> <tr><td>FINISH/OBERFLAECHE/FARBE</td><td>*</td></tr> </table>		0 PLC	*	1 PLC	*	2 PLC	*	3 PLC	*	4 PLC	*	ANGLES/WINKEL	*	FINISH/OBERFLAECHE/FARBE	*	<table border="1"> <tr><td>PRODUCT SPEC</td><td>108-19483</td></tr> <tr><td>APPLICATION SPEC</td><td>114-32127</td></tr> <tr><td>WEIGHT</td><td>-</td></tr> <tr><td>Customer Drawing</td><td>/KUNDENZEICHNUNG</td></tr> </table>		PRODUCT SPEC	108-19483	APPLICATION SPEC	114-32127	WEIGHT	-	Customer Drawing	/KUNDENZEICHNUNG	<table border="1"> <tr><td>SIZE</td><td>A2</td></tr> <tr><td>CAGE CODE</td><td>200779</td></tr> <tr><td>DRAWING NO. ZEICHNUNGS-NR.</td><td>G-2172096</td></tr> <tr><td>RESTRICTED TO NUR FÜR</td><td>-</td></tr> </table>	SIZE	A2	CAGE CODE	200779	DRAWING NO. ZEICHNUNGS-NR.	G-2172096	RESTRICTED TO NUR FÜR	-
0 PLC	*																																	
1 PLC	*																																	
2 PLC	*																																	
3 PLC	*																																	
4 PLC	*																																	
ANGLES/WINKEL	*																																	
FINISH/OBERFLAECHE/FARBE	*																																	
PRODUCT SPEC	108-19483																																	
APPLICATION SPEC	114-32127																																	
WEIGHT	-																																	
Customer Drawing	/KUNDENZEICHNUNG																																	
SIZE	A2																																	
CAGE CODE	200779																																	
DRAWING NO. ZEICHNUNGS-NR.	G-2172096																																	
RESTRICTED TO NUR FÜR	-																																	
SEE NOTES		SEE NOTES		<table border="1"> <tr><td>SCALE MASSSTAB</td><td>3:1</td></tr> <tr><td>SHEET BLATT</td><td>1</td></tr> <tr><td>OF VON</td><td>1</td></tr> <tr><td>REV</td><td>A</td></tr> </table>	SCALE MASSSTAB	3:1	SHEET BLATT	1	OF VON	1	REV	A																						
SCALE MASSSTAB	3:1																																	
SHEET BLATT	1																																	
OF VON	1																																	
REV	A																																	