











spec ref		-		dr		Tao Zhan		2013/11/07		projection		MM		size		A2		scale		5:1	
tolerance std		ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Jeny Ren		2014/08/21						ecn no		-			
-						chr		-		-											
						appr		Collins Lu		2014/08/21		product family		AIRMAX VS		rel level				Released	
surface				linear		0.X		±0.3		 title AIRMAX VS2 VERTICAL HEADER 3 PAIR 90 POS 2MM 10 COL		dwg no 10127939		rev A							
				0.XX		±0.10															
ASME Y14.5		angular		0.XXX		±0.050															
						www.fci.com		cat. no.		-		Product-		Customer Drw		sheet 1 of 4					





VIEWS SHOWN
10127939-101LF

spec ref	-	dr	Tao Zhan	2013/11/07	projection	MM	size	A2	scale	5:1
tolerance std	ASME Y14.5	eng	Jeny Ren	2014/08/21	chr	-	ecn no	-	rel level	Released
surface	✓	appr	Collins Lu	2014/08/21	product family	AIRMAX VS	cat. no.	10127939	rev	A
ASME Y14.5	linear	0.X	±0.3	0.XX	±0.10	0.XXX	±0.050	angular	0°	±2°
www.fci.com										
title AIRMAL VS2 VERTICAL HEADER										
3 PAIR 90 POS 2MM 10 COL										
Product - Customer Drw										
sheet 2 of 4										



RECOMMENDED PCB LAYOUT
FOR DIFFERENTIAL APPLICATIONS,
COMPONENT SIDE
(TWO ADJACENT FOOTPRINTS SHOWN)
NOTES 6, AND 8

Copyright FCI.
FCI

spec ref			-		dr	Tao Zhan	2013/11/07	projection		MM	size	A2	scale	3:1		
tolerance std			TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Jerry Ren	2014/08/21			ecn no		-			
ASME Y14.5						chr	-	-			rel level		Released			
						appr	Collins Lu	2014/08/21			product family		AIRMAX VS			
											rel level					
surface				linear	0.X	±0.3		AIRMAX VS2 VERTICAL HEADER				dwg no	10127939		rev	A
					0.XX	±0.10		3 PAIR 90 POS 2MM 10 COL								
ASME Y14.5				angular	0°	±2°										
						www.fci.com	cat. no.	-	Product - Customer Drw				sheet 3 of 4			

