

PRODUCT NO.
73725

(CONTINUED)

8. P/N'S WITH SUFFIX "LF" ARE LEAD FREE P/N'S



FOR LEAD FREE P/N, THE PRODUCT MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008

FOR THE PRODUCTS WITH THE METAL SHELL PLATING NICKEL AND MATTE SN CAN WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 40 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW PROCESS; FOR THE PRODUCTS WITH METAL SHELL PLATING BRIGHT SN OR SEMI-BRIGHT SN CAN'T WITHSTAND REFLOW AND JUST CAN WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN WAVE SOLDERING PROCESS.



FOR ALL LEAD FREE P/N'S, WITH SUFFIX LF.

12. THE PRODUCT CAN BE USED FOR PIP PROCESS


13. DATUM OF CUSTOMER'S PCB LAYOUT.



PC BOARD MOUNTING DIMENSIONS FOR 4 PIN







WITHOUT SENSOR CONTACT




FOR 73725-X1X0B
HOLD DOWN STYLE "A"

mat'l. code				surface ¹²³ /tolerance			projection		product family		
				ISO 1302 ✓			ISO 406 ISO 1101		HPL 511 USB 2.0		
ltr	ecn	no	dr	date			tolerances unless otherwise specified		title		
AJ							angles		USB UP-RIGHT		
							linear		RECEPT		
							.0±.30		mm		
							.00±.20		scale 1:1		
							0°±2'				
							dr		dwg no		
							PAMP		sheet2 of 4		
							eng		73725		
							R Y LIU		A3		
							chr				
							R Y LIU				
							app		type		
							JENN TSAO		Product Customer Drawing		
sheet		revision									
index		sheet									





mat'l. code				surface ¹²³ /tolerance		projection		product family						
				ISO 1302 ✓ ISO 406 ISO 1101				HPL 511 USB 2.0						
ltr	ecn no	dr	date	tolerances unless otherwise specified				title						
AJ				angles		mm		USB UP-RIGHT RECEPT						
				linear		mm								
				0°±2'		scale 1:1								
				.0±.30										
				.00±.20				dwg no						
				.000±.10										
				dr PAMP		5/20/97						sheet3 of 4		size
				eng R Y LIU		5/20/97						73725		A3
				chr R Y LIU		5/20/97		type Product Customer Drawing						
				app JENN TSAO		5/20/97								
sheet index		revision sheet												

PRODUCT NO.
73725



PC BOARD MOUNTING DIMENSIONS FOR 4 PIN



WITHOUT SENSOR CONTACT
FOR 73725-X150B
HOLD DOWN STYLE "C"

mat'l. code				surface ¹²³ / tolerance		projection		product family				
ISO 1302 ✓				ISO 406 ISO 1101				HPL 511 USB 2.0				
ltr	ecn no	dr	date	tolerances unless otherwise specified				title				
AJ				angles	linear			USB UP-RIGHT RECEPT				
						scale 1:1						
				0°±2°								
				dr	PAMP	5/20/97	Amphenol FCI		dwg no		sheet 4 of 4	size
				engr	R Y LIU	5/20/97			73725			A3
				chr	R Y LIU	5/20/97						
				appd	JENN TSAO	5/20/97			type Product Customer Drawing			
sheet index		revision sheet										