


LEAD-FREE PART NUMBER	DIM A ø	DIM B ø	DIM C ø	DIM D ø	CABLE TYPE	IMPEDANCE
77427-X11LF	1.2	1.70	2.2	3.20	RG178 B/U RG196 A/U	50 Ohm
77427-X21LF	1.70	2.70	3.20	3.80	RG174 A/U RG188 A/U RG316 /U	50 Ohm
77427-X31LF	1.70	2.70	3.58	4.30	RG316/U2 SHIELDED	50 Ohm

PLATING CODE X	PLATING CONTACT AREA 1 AND 3	PLATING CONTACT AREA 2 AND 4
1	1.3um Au min.	1.3um Au min.



NOTES:


- 1.UNDERPLATING Ni
- 2.DIMENSIONS ACCORDING DIN 41626
- 3.THIS PRODUCT WITH "LF" SUFFIX MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
- 4.THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
- 5.PACKAGING SPEC: SEE GS-14-920

rev	ecn no	dr	date
N	LS06-0022	LGO	2006/03/06
P	LS07-0214	LGO	2007/08/20
R	LS08-0057	LGO	2008/02/18
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406 ISO 1101	projection mm	size A3		Scale 10
TOLERANCES UNLESS OTHERWISE SPECIFIED			ANGULAR	LINEAR	0.X	±0.1	ECN	LS08-0057
Dr GOISNARD 2006/03/06			0.XX	±0.1	0.XXX	±0.1	Spec ref	-
Chr LEGARE 2006/03/06			Product family		BACKPANEL		Rev.	
Appr LEGARE 2006/03/06			title		MALE COAX		77427	
FCj			INSERT STRAIGHT CTW		dwg no		R	
catalog no			-		CUSTOMER		sheet 1 of 5	

REV F - 2006-04-17

LEAD-FREE PART NUMBER	DIM A ø	DIM B ø	DIM C ø	DIM D ø	CABLE TYPE	IMPEDANCE
77427-X12LF	1.05	1.70	2.25	3.20	RG178B/U RG196A/U	50 Ohm
77427-X22LF	1.70	2.70	3.20	3.80	RG174A/U RG179B/U RG187A/U RG188A/U RG316/U	50 Ohm
77427-X32LF	1.70	2.70	3.58	4.30	L910/9-/19	50 Ohm




NOTES:

- 1.UNDERPLATING Ni
- 2.DIMENSIONS ACCORDING DIN 41626
- 3.THIS PRODUCT WITH "LF" SUFFIX MEETS EUROPEAN
UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS
DESCRIBED IN GS -22-008.
- 4.THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A
MANUFACTURING SOLDER PROCESS.
- 5.PACKAGING SPEC: SEE GS-14-920
- 6.CONTACT AREA PLATING: SEE SHEET 1

www.fciconnect.com			surface ISO 1302 		tolerance std ISO 406 ISO 1101		projection 		mm 		
TOLERANCES UNLESS OTHERWISE SPECIFIED											
Dr	GOISNARD	2006/03/06	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 10			
Eng	GOISNARD	2006/03/06			0.XX	±0.1					
Chr	LEGARE	2006/03/06			0.XX' ±2"	±0.1		ECN	LS08-0057		
Appr	LEGARE	2006/03/06	Product family BACKPANEL				Spec ref -				
			COAX INSERT FEMALE STRAIGHT CTW				dwg no 77427		Rev. R		
catalog no			-				CUSTOMER		sheet 2 of 5		

LEAD-FREE P/N	IMPEDANCE
77427-X04LF	50 Ohm




NOTES:

- 1.UNDERPLATING Ni
- 2.DIMENSIONS ACCORDING TO DIN 41626
- 3.GENERAL TOLERANCE ± 0.10
- 4.THIS PRODUCT WITH "LF" SUFFIX MEETS EUROPEAN
UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS
DESCRIBED IN GS -22-008.
- 5.THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A
MANUFACTURING SOLDER PROCESS.
- 6.PACKAGING SPEC: SEE GS-14-920
- 7.CONTACT AREA PLATING: SEE SHEET 1

www.fciconnect.com			surface ISO 1302 		tolerance std ISO 406 ISO 1101		projection 		 mm					
			TOLERANCES UNLESS OTHERWISE SPECIFIED											
Dr	GOISNARD	2006/03/06	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 10						
Eng	GOISNARD	2006/03/06			0.XX	±0.1								
Chr	LEGARE	2006/03/06			0.XXX	±0.1		ECN	LS08-0057					
Appr	LEGARE	2006/03/06	Product family				BACKPANEL		Spec ref -					
			title COAX COUPLER FEMALE 50 SHORT				dwg no 77427		Rev. R					
											catalog no		-	
											CUSTOMER		sheet 4 of 5	

LEAD-FREE P/N	IMPEDANCE
77427-X05LF	50 Ohm



NOTES:

- 1.UNDERPLATING Ni
- 2.DIMENSIONS ACCORDING TO DIN 41626
- 3.GENERAL TOLERANCE ± 0.10
- 4.THIS PRODUCT WITH "LF" SUFFIX MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
- 5.THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
- 6.PACKAGING SPEC: SEE GS-14-920
- 7.CONTACT AREA PLATING: SEE SHEET 1

European Views

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406 ISO 1101	projection mm		
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	GOISNARD	2006/03/06	ANGULAR	0.X	± 0.1	size	Scale
Eng	GOISNARD	2006/03/06	LINEAR	0.XX	± 0.1	A3	10
Chr	LEGARE	2006/03/06		0.XXX	± 0.1	ECN	LS08-0057
Appr	LEGARE	2006/03/06	Product family			Spec ref	-
FCj			COAX COUPLER			dwg no	Rev.
			FEMALE 50 LONG			77427	R
catalog no			-			CUSTOMER	sheet 5 of 5

REV F - 2006-04-17